

Practical Guide to SNOMED CT Reference Sets

Expo 2017 Tutorial

David Markwell and Anne Randorff Højen SNOMED International





Overview

- Part 1. Introduction to reference sets
 - Purpose of reference sets
 - Subsets, value set and reference sets
 - Requirements design
 - Requirements, types and examples
- Part 2. Reference set life cycle
 - Overview of development process
 - Practical examples
 - Questions





Purpose

Definitions

Requirements

Introduction to Reference Sets



Purpose

 Reference sets provide a standard way to customize and enhancing the usability of SNOMED CT in a different countries, languages, specialties and contexts



Subsets,
Value Sets
and
Reference Sets

Definitions


Connections

Differences



Definition of a Subset ...

- A set whose members are all contained in another set
 - This is a general definition not specific to SNOMED CT
- Example





Definition of a Value Set...

- A set of concept representations used to represent values in a particular data item
 - This definition is not specific to SNOMED CT
 - May include coded from different code systems and other concept representations including coded refinements or defined text strings
- Example
 - A message or reporting specification for a problem list might define a single value-set including:
 - SNOMED CT disorder concepts
 - SNOMED CT expressions that are subtypes of disorder
 - ICD-10 classification codes representing diseases


Definition of a Reference Set

- A standard SNOMED CT release file format
 - A set of references to SNOMED CT components
 - May include additional information for each component

	id
General versioning information	effectiveTime
	active
	moduleld
Reference set identifier	refsetId
Component reference	referencedComponentId
Additional information depending on reference set type	<attribute-1 attribute-n=""></attribute-1>



Subsets, Value Sets and Reference Sets – Connections



Reference Set Types

	id			:
General versioning information	effectiveTime	Each addit		
	active	attribute ha	s one	
	moduleld		of a set of d	efined
Reference set identifier	refsetId	basic data	types	
Component reference	referencedComponen	ıtld	7/	
Additional information depending on reference set type	<attribute-1 attribute-n=""></attribute-1>	comstrininteg		

Reference set types are defined with particular patterns of additional attributes to meet specific requirements

- Reference set types that meet many common requirements are predefined in SNOMED CT release file specifications
- New reference set types can be defined to meet emerging requirements
- Customized reference set types can also be defined as part of an extension



Requirements for Reference Sets

Practical
Design
Representation



Requirements for Reference Sets


- Subsets of concepts or descriptions (components)
- Ordered lists of components and prioritization
- Sets of components annotated with additional data
- Sets of associations between components
- Sets of ordered associations between components
- Sets of maps or links to or from another code system

For each type of requirement we will look at:

- One or two practical examples of the requirement
- The data structure needed to meet the requirement
- A reference set type that meets the requirement



Requirements for Subsets of Concepts or Descriptions





Practical Requirements for Subsets

- Requirements for subsets of concepts
 - Restricting searches to terms associated with specified concepts
 - Constraining data entry
 - Specifying value sets for particular data items
 - Specifying queries for data retrieval
- Requirements for subsets of descriptions
 - Restricting searches to specified sets of terms
 - Specifying descriptions to appear in a list of options
- Inclusion and exclusion of subset content
 - A subset typically contains the components to be included
 - For some requirements a subset of components to be excluded can also be helpful



Data Structure Requirements for Subsets

- 1. A simple list of identifiers can represent a subset of SNOMED CT components
 - For example:
 - **82272006**
 - **•** 6142004
 - **•** 55604004
 - ... etc. ...

When a subset is represented by a SNOMED CT simple reference set:

The list of component identifiers is represented by the referencedComponentId



Subset Represented by a Simple Reference Set

Subset	Id	Term
	82272006	Common cold
	6142004	Influenza
	55604004	Avian influenza
Reference Set		

id	effective Time	active	moduleld	refsettd	referenced ComponentId
0000d6608041-005b-5108- b608-07891b210365	20140731	1	19999999103	49999999102	82272006
00008774f374-5f54-5234-8a f1-8aca6e73b5c2	20140731	1	19999999103	49999999102	6142004
00006ac9-2f97-5ed4- b37e-84cb158c388d	20140731	1	19999999103	49999999102	55604004



Data Structure Requirements for Subsets

- 1. A simple list identifiers can represent a subset of SNOMED CT components
- 2. For practical use, a subset needs to be identified and named so it can be referred to unambiguously

When a subset is represented by a reference set:


- The subset is identified by the refsetId
- The refsetId refers to a concept
- Descriptions of that concept name the reference set
- A relationship of that concept refers to the reference set type (in this case |is a| |simple type reference set|)



Subset Represented by a Simple Reference Set

Reference Set

id	effective Time	active	moduleld	refsetId	referenced Componentid
0000d6608041-005b-5108- b608-07891b210365	20140731	1	19999999103	49999999102	82272006
00008774f374-5f54-5234-8a f1-8aca6e73b5c2	20140731	1	1999999103	49999999102	6142004
00006ac9-2f97-5ed4- b37e-84cb158c388d	20140731	1	1999999103	49999999102	55604004





Data Structure Requirements for Subsets


- 1. A simple list identifiers can represent a subset of SNOMED CT components
- 2. For practical use, a subset needs to be identified and named so it can be referred to unambiguously
- 3. Subset membership may need to change with future releases of SNOMED CT or due to evolving requirements for inclusion of different content

When a subset is represented by a reference set:

- The standard SNOMED CT approach to versioning and modularization allows full tracking of changes.
- This uses the following columns
 - id, effectiveTime, active, moduleId



Subset Membership Changes Represented by a Simple Reference Set



ld	Term
82272006	Common cold
6142004	Influenza
55604004	Avian influenza
3928002	Zika fever

Reference Set

id	effective Time	active	moduleld	refsetId	referenced ComponentId
0000d6608041-005b-5108- b608-07891b210365	20140731	1	19999999103	49999999102	82272006
00008774f374-5f54-5234-8a f1-8aca6e73b5c2	20140731	1	19999999103	4999999102	6142004
00006ac9-2f97-5ed4- b37e-84cb158c388d	20140731	1	19999999103	4999999102	55604004
00006ac9-2f97-5ed4- b37e-84cb158c388d	20160731	0	19999999103	4999999102	55604004
0000c5c4-50bb-5937-9141-1 ec3e2d517e8	20160731	1	19999999103	4999999102	3928002



Data Structure Requirements for Subsets

- A simple list identifiers can represent a subset of SNOMED CT components
- 2. For practical use, a subset needs to be identified and named so it can be referred to unambiguously
- 3. Subset membership may need to change with future releases of SNOMED CT or due to evolving requirements for inclusion of different content
- 4. It may be useful to define the membership of a subset using rules rather than a list of identifiers
 - This is called an intensional subset definition

Not a misspelling!
Intensional is not the same as intentional



Extensional and Intensional Subset Definitions

- Extensional subset definitions
 - Subset membership defined by enumeration
 - Identifying each of the members individually

SNOMED CT supports extensional subset definitions:

- Simple type reference sets with members identified by component identifiers (referencedComponentId)
- Intensional subset definitions
 - Subset membership is defined by a set of rules
 - The rules are expressed as a query that computes the membership of a subset

SNOMED CT supports intensional subset definitions:

- Query type reference sets with rules represented as
- SNOMED CT expression constraints



Intensional Subset Definitions: Substrate and Expansion

Substrate

 The superset of members to which an intensional subset definition is applied

Intensional definition

 The set of rules (query) that defines whether a member of the substrate is included in the subset

Expansion

 The result of applying an intensional definition to a given substrate Substrate

Intensional definition

Expansion



Intensional Subset Definitions: Substrate and Expansion (General Example)

Substrate

 The superset of members to which an intensional subset definition is applied English Alphabet

Intensional definition

 The set of rules (query) that defines whether a member of the substrate is included in the subset Letters between L and S

Expansion

 The result of applying an intensional definition to a given substrate

M, N, O, P, Q, R



Substrate

- The superset of members to which an intensional subset definition is applied
 - A specified version of a SNOMED
 CT edition

Intensional definition

- The set of rules (query) that defines whether a member of the substrate is included in the subset
 - A SNOMED CT expression constraint

Expansion

- The result of applying an intensional definition to a given substrate
 - Concepts in specified version of the edition that comply with the constraint

SNOMED CT International Edition 2016-07-31

< |infectious
 disease|</pre>

Concepts that are subtypes of [infectious disease]



Query Specification Type Reference Set Representing Intensional Subset Definitions

To save space, id values are not shown for this example

The **query** column contains a text string using SNOMED CT expression constraint language to represent rules applied to the substrate to define the required subset

id	effective Time	active	moduleld	refsetId	referenced ComponentId	query
	20160731	1	1999999103	5999999104	6999999101	< 40733004 infectious disease
	20160731	1	19999999103	59999999104	7999999109	<pre><40733004 infectious disease :363698007 finding site = <<20139000 structure of respiratory system </pre>

The default substrate for the query is the module identified by **moduleId** and all modules on which that module depends A single identified query reference set may contain several members (rows) each with a separate query

The referencedComponentId identifies an actual or virtual reference set representing the expansion created by applying the query to the default substrate



Reference Set Requirements Beyond Subsets





Requirements for Ordered Lists

- Requirements for ordered lists of descriptions
 - Presenting terms in an order that is rational or helpful for a particular purpose in user interface controls including:
 - Simple lists
 - Drop down lists
 - Popup menus
 - Ordering search results
- Requirements for ordered lists of concepts
 - Presenting concepts in an order that is rational or helpful for a particular purpose irrespective of the term displayed

Examples

- Body parts including fingers, cranial nerves and vertebrae
- Enumerated values and scales including frequencies, severities and stages



Requirements for Prioritization

- Prioritization is similar to order but multiple components may have the same rank
- Requirements for prioritization of concepts
 - Making it easier to find concepts that are most commonly used in a particular specialty, department or data entry scenario
 - Highlighting concepts that are preferred options for a particular purpose without preventing access to a wider selection of concepts



Approaches to Implementing Prioritization

- Display search results in priority order
 - Results with same rank ordered by shortest or closest match
- Displaying a rank indicator in search result list
- Limit initial search to high priority concepts
 - Extend searches to lower priorities
 - If no high priority matches
 - If user requests more matches



Ordered Component Type Reference Set Representing Display Order or Priority

Fingers sorted A-Z				
21356012 Fifth finger				
136021011	Fourth finger			
138873019	Second finger			
108884010	Third finger			
127053016	Thumb			

The **order** column is an integer that specifies:

- Display order
- Priority rank: 1 (first) highest rank

id	effective Time	active	moduleld	refsetId	referenced ComponentId	orde	er	
	20160731	1	19999999103	80999999103	127053016 —	1		Thomas
	20160731	1	19999999103	80999999103	138873019	2	•	Thumb Second finger
	20160731	1	1999999103	80999999103	108884010	3	•	Third finger
	20160731	1	1999999103	80999999103	136021011	4	•	Fourth finger
	20160731	1	1999999103	80999999103	21356012	5		Fifth finger



Requirements for Adding Information to a Referenced Component

- Displaying a textual note or comment about a listed or selected concept
 - For example, a guidance note on requesting a particular procedure or service
- Marking particular concepts with specific values to provide processable and/or displayable information
 - For example, marking inactive concepts with indicators of the reasons for inactivating them
- Marking descriptions with indications of whether the terms they contain are acceptable or preferred in a specified language or dialects
 - For example, distinguishing term usage between different languages, dialects, local or specialty groups



Annotation Type Reference Set Adding Unstructured Information to a Concept

ld	Term
82272006	Common cold
6142004	Influenza
55604004	Avian influenza
3928002	Zika fever

The **annotation** column is an string that contains a free text note about the referenced component.

id	effective Time	active	moduleld	refsetId	referenced ComponentId	annotation
	20160731	1	19999999103	119999999106	82272006	Trivial just treat symptoms.
	20160731	1	19999999103	119999999106	6142004	Risk in elderly. Advise immunization in future years.
	20160731	1	19999999103	119999999106	55604004	Report to public health is suspected. Admit if any respiratory distress.
	20160731	1	19999999103	119999999106	3928002	Indicate if pregnant or potentially pregnant. Note travel in affected area.



Attribute Value Type Reference Set Adding Structured Data to a Concept

The **valueld** column refers to a concept that represent the additional data applicable to the concept

id	effective Time	active	moduleld	refsetId	referenced ComponentId	valueld
	20160731	1	900000000000207008	90000000000489007	1720006	90000000000482003
	20160731	1	900000000000207008	900000000000489007	4515009	900000000000484002
	20160731	1	900000000000207008	900000000000489007	4961001	900000000000485001
	20160731	1	900000000000207008	900000000000489007	5381002	90000000000483008

1720006 | Dextroposition of aorta | Duplicate | 4515009 | Keratoderma punctata | Ambiguous | 4961001 | Psychiatric function | Erroneous | 5381002 | Enterobacter gergoviae | Outdated | Duplicate | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 | 1720006 |



Language Type Reference Set Indicating Acceptability of Descriptions

The **refsetId** specifies the refset for a language

referencedComponentId refers to a description to which an acceptability applies

acceptabilityId refers to a concept that represents acceptable or preferred

id	effective Time	active	moduleld	refsetId	referenced ComponentId	acceptabilityId
	20160731	1	900000000 00207008	90000000000509007	132967011	90000000000548007
	20160731	1	9000000000 00207008	900000000000509007	132972019	90000000000549004
	20160731	1	900000000000000000000000000000000000000	90000000000508004	132972019	90000000000549004
	20160731	1	9000000000	90000000000508004	132973012	900000000000548007



132967011 Appendectomy 132972019 Excision of appendix

Preferred / Acceptable



132973012 Appendicectomy ↓ ↓ 132972019 Excision of appendix

|Preferred |Acceptable



Requirements for Associations Between Components

- Historical associations between components
 - For example, associating an concept that has been inactivated as a duplicate with the active concept that it duplicates
- Grouping concepts together
 - For example, representing categories containing concepts that are used for reporting
- Presenting alternative hierarchical views of concepts of descriptions at the user interface data entry



Association Type Reference Set Representing Unordered Directed Associations

referencedComponentId refers to a component that is the source of the association

The **targetComponentId** refers to a component that is associated with the referenced component

id	effective Time	active	moduleld	refsetId	referenced ComponentId	targetComponentId			
	20160731	1	19999999103	149999999107	82272006	85562004			
	20160731	1	19999999103	149999999107	6142004	70327001			
	20160731	1	19999999103	149999999107	55604004	70327001			
	20160731	1	19999999103	149999999107	3928002	70327001			



Ordered Association Type Reference Set Representing Ordered Directed Associations

referencedComponentId refers to a component that is the source of the association

targetComponentId refers to a component that is associated with the referenced component

id	effective Time	active	moduleld	refsetId	referenced ComponentId	target ComponentId	order
	20160731	1	19999999103	819999999101	127053016	85562004	1
	20160731	1	19999999103	819999999101	138873019	70327001	1
	20160731	1	19999999103	819999999101	108884010	70327001	2
	20160731	1	19999999103	819999999101	136021011	70327001	3
	20160731	1	1999999103	81999999101	21356012	70327001	4

order indicates the order of the association



Associations and Maps to Other Code System

referencedComponentId refers to a component that is the concept that is mapped

mapTarget is a code in the other code system

id	effective Time	active	moduleld	refsetId	referenced ComponentId	mapTarget	other attributes
	20160731	1	1999999103	169999999108	9389005	B00.5	
	20160731	1	1999999103	169999999108	13608004	B00.5	
	20160731	1	1999999103	169999999108	13710008	B00.7	
	20160731	1	1999999103	169999999108	3401001	B00.8	
	20160731	1	1999999103	169999999108	16592009	B00.8	

Other attributes depend on the complexity of maps between SNOMED CT and the other code system. The attributes may represent: correlation, options, groups, rules, advice, etc.



Reference Set Customization to Meet Additional Requirements

- The reference set specification defines a special reference set that can be used to specify the structure of other reference sets
 - The reference set descriptor reference set
- Therefore ...
 - Reference sets offer a standard SNOMED CT format for representing and versioning collections of data linked to SNOMED CT components
 - Reference sets can meet a wide variety of requirements. There
 may be other ways to meet those requirements but the added
 value of reference sets is the standard systematic approach to
 versioning and change tracking




Overview

- Part 1. Introduction to Reference Sets
 - Purpose of refsets
 - Subsets, value set and reference sets
 - Requirements design
 - Requirements, types and examples
- Part 2. Reference Set Life Cycle
 - Overview of development process
 - Practical examples
 - Questions






Refset Lifecycle










Scope/-Requirements

- What is the main **purpose** of the reference set?
- Who are the **USErS** of the reference set?
- What is the SCOPE of content of the reference set?
- Who is responsible for developing and maintaining the reference set?
- Should we develop a **new** reference set **or** does any **existing** reference set meet our requirements?















- Reference Set Creation
- Development Approaches
- Development Methods
- Review and Quality Assurance






- Reference Set Creation
- Development Approaches
- Development Methods
- Review and Quality Assurance

- 1. Define the reference set in the metadata hierarchy
- 2. Define the reference set attributes within the metadata hierarchy
- 3. Create the Descriptor for the reference set
- 4. Add members to the reference set





- No existing reference set meets your requirements
- The scope of the reference set is limited and clearly specified

- The reference set meets your requirements
- You are confident that the existing reference set will be well-maintained
- The reference set is part of a module that is included in the SNOMED CT Edition that you use




 The reference set almost meets your requirements, but you wish to modify it to fully fulfill your requirements Adopt existing reference set


Copy existing reference set

- The reference set meets your requirements
- You are NOT confident that the existing reference set will be well-maintained
- The existing reference set is NOT part of a module that is included in the SNOMED CT Edition that you use





- Reference Set Creation
- Development Approaches
- Development Methods
- Review and Quality Assurance







Extensional Definition

- Membership is defined by enumeration
 - Identifying each of the members individually



- General finding of observation of patient (finding)
 - Finding of general observation of appearance (finding)
 - Beautiful appearance (finding)
 - Bizarre personal appearance (finding)
 - Blue bloater (finding)
 - Comfortable appearance (finding)
 - Finding of appearance relating to age (finding)
 - > Finding of general form of body (finding)
 - General appearance of patient (finding)
 - ✓ Generally clean appearance (finding)
 - On examination clean and tidy (finding)
 - Neglected appearance (finding)-
 - On examination care poor (finding)
 - No injuries apparent (finding)
 - Normal appearance (finding)
 - Normal extension (finding)
 - Normal flexion (finding)
 - On examination appearance (finding)
 - Parkinsonian features (finding)
 - > Personal appearance about reported age (finding)
 - Personal appearance dirty (finding)
 - Clothing dirty (finding)
 - Hands dirty (finding)
 - On examination unclean (finding)
 - Pink puffer (finding)
 - State of dress finding (finding)
 - Clothing dirty (finding)
 - Dressed appearance (finding)
 - Undressed (finding)
 - Well cared for appearance (finding)
 - Adequately dressed (finding)
 - On examination care good (finding)
 - Smartly dressed (finding)



Example:


- 80670004 | Bizarre personal appearance (finding) |
- 398168006 | Generally clean appearance (finding) |
- 102892007 | Neglected appearance (finding) |
- 386549008 | Normal appearance (finding) |
- 78158007 | Personal appearance dirty (finding) |
- 397749000 | Well cared for appearance (finding) |



SNOMED International

Intensional Definition

- Membership is defined by a set of rules
 - The rules are expressed as a query that computes the reference set members



Examples:

<< 387714009 | Operation on lung (procedure) |

```
19829001 | Disorder of lung (disorder) | :
116676008 | associated morphology | = 79654002 | edema |
```



19242006

Development Methods:

Intensional Definition


SUBSTRATE

SNOMED CT International Edition 2016-07-31



INTENSIONAL DEFINITION

< 19829001 | Disorder of lung (disorder) | : 116676008 | Associated morphology | = 79654002 | Edema |



EXPANSION

Neurogenic pulmonary edema (disorder)	233705000
Adult respiratory distress syndrome (disorder)	67782005
Hemorrhagic pulmonary edema (disorder)	276637009
Postimmersion-submersion syndrome (disorder)	89687005
Fluid overload pulmonary edema (disorder)	233712009

Pulmonary edema (disorder)







Expression Constraint Language



Refset Refinement









- Reference Set Creation
- Development Approaches
- Development Methods
- Review and Quality Assurance
- 1. Single author, single reviewer
- 2. Cross-review
- 3. Dual blind review with an adjudicator
- 4. Workshop

Important that people involved with review are aware of the requirements, scope and intended uses of the reference set












Reference set format

(for distribution and maintenance)

Implementation Guidance **Optimization for Implementation Implementation** and Use Optimized format Target system (for implementation)







 One way of determine reference set changes is by creating and comparing two views of the reference set:

SNAPSHOT view (of previous version)

- Contains one version of every member released up to the time of the snapshot.
- Each member contained in a snapshot is the most recent version of that member at the time of the snapshot.

DELTA view (of new version)

- Contains only reference set member versions created since the previous reference set release.
- Each reference set member version in the DELTA view represents either a new reference set member or a change to an existing member.



		Value of active column in the new release of the reference set (DELTA view)				
		0	1	NOT PRESENT		
Value of active column in previous release of the reference set	0	Inactive member changed (not significant)	member REACTIVATED	NO CHANGE		
(SNAPSHOT view)	1	member INACTIVATED	CHANGED member	NO CHANGE		
	NOT PRE- SENT	n/a	NEW member	n/a		



JANUARY 2016

id	effectiveTime	active	Referenced ComponentId	Referenced ComponentTerm
Α	20160131	1	82272006	Common cold
В	20160131	1	6142004	Influenza
С	20160131	1	55604004	Avian influenza

JULY 2016

id	effectiveTime	active	Referenced ComponentId	Referenced ComponentTerm
Α	20160131	1	82272006	Common cold
В	20160131	1	6142004	Influenza
С	20160131	1	55604004	Avian influenza
С	20160731	0	55604004	Avian influenza
D	20160731	1	3928002	Zika fever



SNAPSHOT VIEW_20160131

id	effectiveTime	active	Referenced ComponentId	Referenced ComponentTerm
Α	20160131	1	82272006	Common cold
В	20160131	1	6142004	Influenza
С	20160131	1	55604004	Avian influenza

DELTA VIEW_20160731


id	effectiveTime	active	Referenced ComponentId	Referenced ComponentTerm
С	20160731	0	55604004	Avian influenza
D	20160731	1	3928002	Zika fever



Overview

- Part 1. Introduction to Reference Sets
 - Purpose of refsets
 - Subsets, value set and reference sets
 - Requirements design
 - Requirements, typ
- Part 2. Reference
 - Overview of develop
 - Practical example
 - Questions







Practical Example





Demonstration

- SNOMED International Refset Management Tool
 - http://snomed.org/tools
 - https://refset.ihtsdotools.org
- Refset Management Tool
 - Enables the management & creation of reference sets against the International Edition of SNOMED CT and Member extensions.
 - Provide a directory of existing reference sets that can be searched and downloaded to be used by others





Demonstration

- Extensional Refset Example:
 - Rare Diseases concepts

```
7199000, 9014002, 13213009, 16631009, 22053006, 23238000, 24700007, 30188007, 31323000, 44785005, 51615001, 58606001, 62067003, 63702009, 65389002, 65880007, 74911008, 75053002, 76670001, 77128003, 80651009, 82275008, 86044005, 128241005, 190794006, 195353004, 230418006, 230791000, 234542004, 236403004, 239928004, 252246005, 387732009, 387759001, 396338004, 410795001, 417357006, 423590009, 699310000, 716997004
```

Concept to add

190905008 | Cystic fibrosis (disorder) |

- Intensional Refset Example
 - Lung Procedure Refset
 - << 387714009 | Operation on lung (procedure) |
 - Refset of lung disorders with an associated morphology equal to descendantsOrSelf of inflammation.
 - < 19829001 : 116676008 = << 23583003



Overview

- Part 1. Introduction to Reference Sets
 - Purpose of refsets
 - Subsets, value set and reference sets
 - Requirements design
 - Requirements, types and examples
- Part 2. Reference Set Life Cycle
 - Overview of development process
 - Practical example
 - Questions



