

SNOMED CT Release File Specifications



Leading healthcare
terminology, worldwide

The SNOMED CT Release File Specification formally defines the formats in which SNOMED CT is provided to licensees ([Affiliates](http://snomed.org/licenses)). For information about SNOMED CT licensing and availability of release files please refer to the [Member Licensing and Distribution Service](http://snomed.org/licenses)(MLDS) (<http://snomed.org/licenses>).

Web browsable version: <http://snomed.org/rfs>

SNOMED CT Document Library: <http://snomed.org/doc>

© Copyright 2024 International Health Terminology Standards Development Organisation, all rights reserved.

This document is a publication of International Health Terminology Standards Development Organisation, trading as SNOMED International. SNOMED International owns and maintains SNOMED CT®.

Any modification of this document (including without limitation the removal or modification of this notice) is prohibited without the express written permission of SNOMED International. This document may be subject to updates. Always use the latest version of this document published by SNOMED International. This can be viewed online and downloaded by following the links on the front page or cover of this document.

SNOMED®, SNOMED CT® and IHTSDO® are registered trademarks of International Health Terminology Standards Development Organisation. SNOMED CT® licensing information is available at <http://snomed.org/licenses>. For more information about SNOMED International and SNOMED International Membership, please refer to <http://www.snomed.org> or contact us at info@snomed.org.

Latest
PDF
Version
for
Downlo
ad:



doc_SNOMEDCTR..._20220202.pdf



Note

This PDF document was generated from the web version on 02 Feb 2022. Any changes made to the web pages since this date will not appear in the PDF. For information about recent changes please see [Recent Updates](#).

Contents

1. Introduction

2 SNOMED CT Logical Model

- 2.1 High Level Logical Model of SNOMED CT
- 2.2 Representation of the Logical Model
- 2.3 Concept Definitions
 - 2.3.1 Stated and Inferred Concept Definitions
 - 2.3.2 Necessary Conditions and Sufficient Definitions
 - 2.3.3 Additional Logic Features
 - 2.3.4 Representing Concept Definitions
 - 2.3.4.1 Concept Definitions Represented as Relationships
 - 2.3.4.2 Concept Definitions Represented in OWL

3 Release Types, Packages and Files

- 3.1 Common Features of All Release Files
 - 3.1.1 General Structure of Release Files
 - 3.1.2 Release File Data Types
 - 3.1.3 Fields Present in All Release Files
 - 3.1.4 Meaning of the Active Field
 - 3.1.5 History Mechanism
 - 3.1.6 Module Identification
- 3.2 Release Types
- 3.3 Naming Conventions for Release Packages and Files
 - 3.3.1 Release Package Naming Conventions
 - 3.3.2 Release File Naming Convention
- 3.4 Release Package Contents

4 Component Release Files Specification

- 4.1 Associations Between Release Files
- 4.2 File Format Specifications

- 4.2.1 Concept File Specification
- 4.2.2 Description File Specification
- 4.2.3 Relationship File Specification
- 4.2.4 Identifier File Specification
- 4.2.5 Transitive Closure Files
- 4.2.6 Concrete Value File Specification
- 4.3 Metadata Hierarchy

5 Reference Set Release Files Specification

- 5.1 General Features of Reference Sets
 - 5.1.1 Basic Reference Set Member File Format
 - 5.1.2. Extending the Basic Reference Set Member File Format
 - 5.1.3 Naming Conventions for Reference Sets
 - 5.1.4 Metadata Supporting Reference Sets
- 5.2 Reference Set Types
 - 5.2.1 Content Reference Sets
 - 5.2.1.1 Simple Reference Set
 - 5.2.1.2 Ordered Component Reference Set
 - 5.2.1.3 Attribute Value Reference Set
 - 5.2.1.3.1 Component Inactivation on Reference Sets
 - 5.2.1.4 Association Reference Set
 - 5.2.1.4.1

5.1 Historical Association Reference Sets

- 5.2.1.5 Ordered Association Reference Set
- 5.2.1.6 DEPRECATED: Annotation Reference Set
- 5.2.1.7 Query Specification Reference Set
- 5.2.1.8 Ordered Reference Set
- 5.2.1.9 OWL Expression Reference Set
- 5.2.2 Language Reference Sets
 - 5.2.4 Language Reference Set
- 5.2.3 Map Reference Sets
 - 5.2.3.1 Simple Map from SNOMED CT Reference Set
 - 5.2.3.2 Simple Map to SNOMED CT Reference Set
 - 5.2.3.3 Complex and Extended Map from SNOMED CT Reference Sets
 - 5.2.3.4 Map to SNOMED

- CT with Correlation and Origin Reference Set
- 5.2.3.5 Code to Expression Reference Set
- 5.2.3.6 Simple map with correlation from SNOMED CT type reference set
- 5.2.3.7 Simple map with correlation to SNOMED CT type reference set
- 5.2.3.8 Simple map with correlation from SNOMED CT to SNOMED CT type reference set
- 5.2.4 Metadata Reference Sets
 - 5.2.4.1 Reference Set Descriptor
 - 5.2.4.2 Module Dependency Reference Set
 - 5.2.4.3 Description Format Reference Set
 - 5.2.4.4 MRCM Domain Reference Set
 - 5.2.4.5 MRCM Attribute Domain Reference Set
 - 5.2.4.6 MRCM Attribute Range Reference Set
 - 5.2.4.7 MRCM Module Scope

Reference Set

- 5.2.4.8 Component Annotation String Value Reference Set
- 5.2.4.9 Member Annotations String Value Reference Set

6 SNOMED CT Identifiers

- 6.1 SCTID Data Type
- 6.2 SCTID Representation
- 6.3 SCTID Constraints
- 6.4 Check-digit
 - 6.4.1 SNOMED CT Identifier Check
 - 6.4.2 Check-digit Computation
- 6.5 Partition Identifier
- 6.6 Namespace-Identifier
- 6.7 Item-Identifier Digits
- 6.8 Example SNOMED CT identifiers
- 6.9 The Namespace Hierarchy

Appendix A: Notes on Release File Changes

- Representation of the Logical Model - Before July 2018
 - Associations Between Release Files Prior to July 2018
- Notes on modifierId
- RF1 Compatibility and Conversion Tools

Appendix B. Specification Reference Information

- A
 - acceptabilityId (field)
 - active (field)
 - alternateIdentifier (field)
 - annotation (field)
 - attributeDescription (field)
 - attributeOrder (field)
 - attributeType (field)
- B
 - Boolean (data type)
- C
 - caseSignificanceId (field)
 - characteristicTypeId (field)
 - Concept file
 - conceptId (field)
 - correlationId (field)
- D
 - definitionStatusId (field)
 - Description file

- descriptionFormat (field)
 - descriptionLength (field)
 - destinationId (field)
 - Dualkey (field)
 - Dualkey table
- E
 - effectiveTime (field)
 - Excluded word (field)
 - Excluded words table
 - expression (field)
- I
 - Identifier file
 - id (field)
 - identifierSchemeId (field)
 - Integer (data type)
- K
 - Keyword (field)
- L
 - linkedTold (field)
- M
 - mapAdvice (field)
 - mapGroup (field)
 - mapCategoryId (field)
 - mapPriority (field)
 - mapRule (field)
 - mapTarget (field)
 - modifierId (field)
 - moduleId (field)
 - mapSource (field)
- O
 - order (field)
 - OWL Expression Reference Set file
 - OWL ontology reference set file
- Q
 - query (field)
- R
 - referencedComponentId (field)
 - Reference Set file
 - refsetId (field)
 - Relationship file
 - relationshipGroup (field)
- S
 - SCTID (data type)
 - sourceEffectiveTime (field)
 - sourceId (field)
 - Stated Relationship file
 - String (data type)
 - substrate (field)
- T
 - targetComponentId (field)
 - targetEffectiveTime (field)
 - term (field)
 - Time (data type)
 - Transitive closure file
 - typeId (field)
- U
 - Unicode
 - UTF-16
 - UTF-8
 - UUID (data type)
- V
 - valueId (field)

- value (field)
- W
 - Word equivalents table
 - WordBlockNumber (field)
 - WordKey table
 - WordRole (field)
 - WordText (field)
 - WordType (field)

Appendix C. Unicode UTF-8 encoding

- Summary of Unicode Encoding Rules

Appendix D: Concept Definition Illustrations

- D.1 Stated and Inferred Definitions - Examples
- D.2 Necessary and Sufficient - Examples

Appendix E: Concept Enumerations

- E.1 Concept Enumerations for moduleId
- E.2 Concept Enumerations for definitionStatusId
- E.3 Concept Enumerations for Description typeId
- E.4 Concept Enumerations for caseSignificanceId
- E.5 Concept Enumerations for characteristicTypeId
- E.6 Concept Enumerations for modifierId
- E.7 Concept Enumerations for Relationship typeId
- E.8 Concept Enumerations for Reference Set Attribute Values

Previous Versions

Recent Updates