

# SNOMED CT July 2017 International Edition - SNOMED International Release notes

Date	20170731
Document Version	1.1
Release Status	PRODUCTION



© 2024 International Health Terminology Standards Development Organisation. All rights reserved. SNOMED CT® was originally created by the College of American Pathologists.

This document forms part of the International Edition release of SNOMED CT® distributed by International Health Terminology Standards Development Organisation, trading as SNOMED International, and is subject to the SNOMED CT® Affiliate License, details of which may be found at <https://www.snomed.org/snomed-ct/get-snomed>.

No part of this document may be reproduced or transmitted in any form or by any means, or stored in any kind of retrieval system, except by an Affiliate of SNOMED International in accordance with the SNOMED CT® Affiliate License. Any modification of this document (including without limitation the removal or modification of this notice) is prohibited without the express written permission of SNOMED International.

Any copy of this document that is not obtained directly from SNOMED International [or a Member of SNOMED International] is not controlled by SNOMED International, and may have been modified and may be out of date. Any recipient of this document who has received it by other means is encouraged to obtain a copy directly from SNOMED International [or a Member of SNOMED International]. Details of the Members of SNOMED International may be found at <http://www.snomed.org/members/>.

Page At A Glance

- 
- [Table Of Contents](#)
- [1 Introduction](#)
  - [1.1 Background](#)
  - [1.2 Purpose](#)
  - [1.3 Scope](#)
  - [1.4 Audience](#)
- [2 Content Development Activity](#)
  - [2.1 Summary](#)
  - [2.2 Content Quality Improvement](#)
    - [2.2.1 Anatomy](#)
    - [2.2.2 Clinical finding](#)
    - [2.2.3 Convergent Medical Terminologies \(CMT\)](#)
    - [2.2.4 Diagnostic Imaging Procedures](#)
    - [2.2.5 Disorders](#)
      - [2.2.5.1 Orphanet](#)
      - [2.2.5.2 ICD-11 Harmonization plan](#)
    - [2.2.6 LOINC](#)
    - [2.2.7 Morphologic Abnormality](#)
    - [2.2.8 Observables](#)
    - [2.2.9 Organisms](#)
    - [2.2.10 Pharmaceutical / biologic product](#)
    - [2.2.11 Physical objects](#)
    - [2.2.12 Procedures](#)
    - [2.2.13 Social concept](#)
    - [2.2.14 Specimen](#)
    - [2.2.15 Substances](#)
    - [2.2.16 Foundation metadata component](#)
  - [2.3. Internal Quality Improvement](#)
    - [2.3.1 Case significance indicator](#)
    - [2.3.2 OWL axiom reference set](#)
    - [2.3.3 Dentistry Odontogram refset](#)
    - [2.3.4 New attributes and values](#)

- 2.4 SNOMED CT derived products
  - 2.4.1 ICD-10 map
    - 2.4.1.1 Content development activity summary
    - 2.4.1.2 Mapped content for July 2017
- 3 Technical notes
  - 3.1 Known Issues
  - 3.2 Resolved Issues
  - 3.3 Technical updates
    - 3.3.1 RF2 package naming convention
    - 3.3.2 Update to case significance assignment, in line with the RF2 specification
    - 3.3.3 Addition of the MRCM Refsets to the International Edition package
    - 3.3.4 Improvements to the RefsetDescriptor file
    - 3.3.5 Addition of a new SEP refset to the International Edition package
    - 3.3.6 Removal of the SNOMED CT RT Identifier refset from the International Edition package
    - 3.3.7 RF2 package format
    - 3.3.8 Early visibility of impending change in the January 2018 International edition

## Table Of Contents

- 
- Table Of Contents
- 1 Introduction
  - 1.1 Background
  - 1.2 Purpose
  - 1.3 Scope
  - 1.4 Audience
- 2 Content Development Activity
  - 2.1 Summary
  - 2.2 Content Quality Improvement
    - 2.2.1 Anatomy
    - 2.2.2 Clinical finding
    - 2.2.3 Convergent Medical Terminologies (CMT)
    - 2.2.4 Diagnostic Imaging Procedures
    - 2.2.5 Disorders
      - 2.2.5.1 Orphanet
      - 2.2.5.2 ICD-11 Harmonization plan
    - 2.2.6 LOINC
    - 2.2.7 Morphologic Abnormality
    - 2.2.8 Observables
    - 2.2.9 Organisms

- 2.2.10 Pharmaceutical / biologic product
    - 2.2.11 Physical objects
    - 2.2.12 Procedures
    - 2.2.13 Social concept
    - 2.2.14 Specimen
    - 2.2.15 Substances
    - 2.2.16 Foundation metadata component
  - 2.3. Internal Quality Improvement
    - 2.3.1 Case significance indicator
    - 2.3.2 OWL axiom reference set
    - 2.3.3 Dentistry Odontogram refset
    - 2.3.4 New attributes and values
  - 2.4 SNOMED CT derived products
    - 2.4.1 ICD-10 map
      - 2.4.1.1 Content development activity summary
      - 2.4.1.2 Mapped content for July 2017
- 3 Technical notes
- 3.1 Known Issues
  - 3.2 Resolved Issues
  - 3.3 Technical updates
    - 3.3.1 RF2 package naming convention
    - 3.3.2 Update to case significance assignment, in line with the RF2 specification
    - 3.3.3 Addition of the MRCM Refsets to the International Edition package
    - 3.3.4 Improvements to the RefsetDescriptor file
    - 3.3.5 Addition of a new SEP refset to the International Edition package
    - 3.3.6 Removal of the SNOMED CT RT Identifier refset from the International Edition package
    - 3.3.7 RF2 package format
    - 3.3.8 Early visibility of impending change in the January 2018 International edition
- 

# 1 Introduction

## 1.1 Background

SNOMED CT terminology provides a common language that enables a consistent way of indexing, storing, retrieving, and aggregating clinical data across specialties and sites of care.

SNOMED International maintains the SNOMED CT technical design, the content architecture, the SNOMED CT content (includes the concepts table, the descriptions table, the relationships table, a history table, and ICD mappings), and related technical documentation.

## 1.2 Purpose

This document provides a summarized description of the content changes included in the July 2017 release of SNOMED Clinical Terms<sup>®</sup> (SCT) International Release.

It also includes technical notes detailing the known issues which have been identified. These are content or technical issues where the root cause is understood, and the fix has been discussed and agreed, but has yet to be implemented.

This document is available alongside the July 2017 International Edition release.

## 1.3 Scope

This document is written for the purpose described above and is not intended to provide details of the technical specifications for SNOMED CT or encompass every change made during the release.

## 1.4 Audience

The audience includes National Release Centers, WHO-FIC release centers, vendors of electronic health records, terminology developers and managers who wish to have an understanding of changes that have been incorporated into the July 2017 International Edition release.

# 2 Content Development Activity

## 2.1 Summary

Continuous quality improvement and enhancement of existing content is ongoing based on requests received via the Content Request System (CRS).

As well, the July 2017 International Release has seen a continuation of the work driven by contributions from: Kaiser Permanente Convergent Medical Terminology (CMT), Global Medical Device Nomenclature Agency (GMDNA), World Health Organization (WHO) ICD-11 Beta, International Classification for Nursing Practice (ICNP®) and Orphanet to add new content to SNOMED CT.

Additionally, member-identified priority projects, have driven enhancements in the anatomy hierarchy, while other project-driven changes have resulted in new content additions and enhancements to existing content detailed below.

## 2.2 Content Quality Improvement

### Summary of changes

**In total: 10770 new concepts were authored with an additional 15993 changes made to existing concepts.**

SCT Statistics	New concept additions
SNOMED CT Concept (SNOMED RT+CTV3)	10773
Body structure (body structure)	5994
Clinical finding (finding)	2144
Event (event)	10
Observable entity (observable entity)	25
Organism (organism)	123
Pharmaceutical / biologic product (product)	83
Physical object (physical object)	224
Procedure (procedure)	665
Qualifier value (qualifier value)	735
Record artifact (record artifact)	13
SNOMED CT Model Component (metadata)	76
Situation with explicit context (situation)	198
Social context (social concept)	2
Specimen (specimen)	27
Staging and scales (staging scale)	19
Substance (substance)	435

### 2.2.1 Anatomy

1. Two new association reference sets have been developed and included in this release. The new refsets will help to identify missing concepts, ensure quality of concept modeling and enable systematic application of naming convention for S, E, and P concepts. refsets represent the associations between anatomy Structure, Entire and Part:

- Anatomy Structure and Entire Association Reference Set

- Anatomy Structure and Part Association Reference Set
2. The Lateralizable Body Structure reference set has been updated in the SNOMED International refset tool as follows:
- 3728 new refset members added and 5 refset members inactivated for the July 2017 release
3. New content has been added as required for the development of a new concept model for anatomy, as well as alignment with other anatomy terminology standards as follows:
- 5,768 new concepts; 5,427 are Entire concepts which have been added to ensure the completeness of SEP model.
  - 200 (approx.) new lateralized body structures and
  - 800 new lateralized procedures and disorders
  - 11 new entheses concepts added to support the revision of sub-hierarchy of 23680005|Enthesopathy (disorder)| which were incorrectly modeled by two body structures

## 2.2.2 Clinical finding

- Added 13 new concepts for clinical findings and morphological abnormalities used to represent laboratory findings
- Crohn's disease - review and/or remodelling of 55 concepts plus addition of 2 new concepts

## 2.2.3 Convergent Medical Terminologies (CMT)

A total of 668 new concepts were added as follows:

- CMT Cardiology - 12 concepts
- CMT Emergency Department - 12 concepts
- CMT Endocrine - 6 concepts
- CMT Hematology Oncology - 6 concepts
- CMT Hx and Family Hx - 82 concepts
- CMT Injuries - 14 concepts
- CMT Mental Health - 31 concepts
- CMT Miscellaneous - 104 concepts
- CMT Musculoskeletal - 272 concepts
- CMT Neurology - 2 concepts
- CMT Obstetrics and Gynecology - 2 concepts
- CMT Ophthalmology - 52 concepts
- CMT Orthopedics Extremity Fractures - 2 concepts
- CMT Pediatrics - 2 concepts
- CMT Radiology - 66 concepts
- CMT Top 2500 - 3 concepts

## 2.2.4 Diagnostic Imaging Procedures

- 342 (approx.) including:
  - MRI 120
  - CT 102
  - X-ray 12
  - Venography 2
  - Fluoroscopy 31
  - Ultrasonography guided 59
  - Ultrasonography 16
  - Laterality concepts across MRI, CT, X-ray and ultrasonography and interventional radiology

## 2.2.5 Disorders

### 2.2.5.1 Orphanet

- As a result of collaboration with Orphanet (<http://www.orpha.net/consor/cgi-bin/index.php>) 485 new concepts have been created to represent rare diseases in the disorder hierarchy.

### 2.2.5.2 ICD-11 Harmonization plan

- 1200 ICD-11 concepts added from the Mortality and Morbidity Linearization

2.2.5.3 Revision of 12962009|Histoplasmosis (disorder) - re-work hierarchy to fix inheritance issues and ensure consistent use of attributes.

## 2.2.6 LOINC

- 114 new concepts were added to support the mapping of LOINC Parts to SNOMED CT concepts for the LOINC - SNOMED CT Cooperation Project. This included properties, techniques, population of cells, cells, etc.

## 2.2.7 Morphologic Abnormality

- 114 new morphologic abnormality concepts added and then mapped to International Classification of Diseases for Oncology Third Edition (ICD-O First Revision, or ICD-O-3.1) 2011

## 2.2.8 Observables

- Renamed 5 “X detail observables (observable entity)” concepts to “X observable” for clarity and retired 1 “X detail observable” as ambiguous. Retired 1 ambiguous Observable entity grouper concept and 1 related ambiguous Clinical finding concept.

## 2.2.9 Organisms

- 605 changes were made to terms which used an incorrect case in a Salmonella serovar name.
- 170 changes were made to support Microbiology reporting. The majority of these were new organism concepts.

Of these, 532 term updates were made in the Organism hierarchy and 73 term replacements were made in other hierarchies (Procedure, Substance, Product, Disorder).

## 2.2.10 Pharmaceutical / biologic product

Added >15 new descriptions with "medication" where "drug" was already used



### Drug model project

For further details on the planned changes in this area, please refer to the Drug Model Working Group Directory section.

Please note, you may have to register for Confluence user account in order to access this project.

### Summary of changes

<b>New hierarchies</b>	<ul style="list-style-type: none"><li>• Number (qualifier value) - descendants only<ul style="list-style-type: none"><li>◦ Existing concepts updated (n 20)</li><li>◦ New concepts created (n 625)</li></ul></li><li>• Unit of presentation (unit of presentation) - root concept and descendants<ul style="list-style-type: none"><li>◦ New concepts created (n 50)</li></ul></li></ul>
<b>New semantic tags</b>	<ul style="list-style-type: none"><li>•  Qualifier value (qualifier value)  hierarchy:<ul style="list-style-type: none"><li>◦ unit of presentation</li></ul></li><li>•  Pharmaceutical / biologic product (product) hierarchy :<ul style="list-style-type: none"><li>◦ medicinal product</li><li>◦ medicinal product form</li><li>◦ clinical drug</li></ul></li></ul>
	<ul style="list-style-type: none"><li>• Has basis of strength substance</li></ul>

<b>New attribute types</b>	<ul style="list-style-type: none"> <li>• Has presentation strength numerator value</li> <li>• Has presentation strength numerator unit</li> <li>• Has presentation strength denominator value</li> <li>• Has presentation strength denominator unit</li> </ul>
<b>Attribute description changes</b>	<ul style="list-style-type: none"> <li>•  Has dose form  <ul style="list-style-type: none"> <li>◦ Existing FSN and Preferred Term were inactivated and replaced with  Has manufactured dose form </li> </ul> </li> </ul>
<b>Groupers</b>	<ul style="list-style-type: none"> <li>• Descriptions for 10 existing concepts that represent groupers base on dose form by site prepared for updated in accordance with new terming guidelines.</li> <li>• Concepts were fully defined using proximal primitive modeling pattern.</li> </ul>
<b>Medicinal product (MP)</b>	<ul style="list-style-type: none"> <li>• Descriptions for 1300 existing concepts updated in accordance with new terming guidelines, including new "medicinal product" semantic tag</li> <li>• Existing concept IDs, stated parents and definition status were retained</li> <li>• Missing  Has active ingredient  attributes were added; errors in existing content were corrected as they were identified</li> </ul>
<b>Medicinal product form (MPF)</b>	<ul style="list-style-type: none"> <li>• Descriptions for 1300 existing concepts updated in accordance with new terming guidelines, including new "medicinal product form" semantic tag</li> <li>• Existing concept IDs, stated parents and definition status were retained</li> <li>• Missing  Has active ingredient  and  Has manufactured dose form  attributes were added; errors in existing content were corrected as they were identified</li> </ul>
<b>Clinical drug (CD)</b>	<ul style="list-style-type: none"> <li>• Descriptions for 3000 existing concepts representing oral tablets and oral capsules were updated in accordance with new terming guidelines, including new "clinical drug" semantic tag</li> <li>• Existing concept IDs, stated parents and definition status were retained</li> <li>• Missing  Has active ingredient  and  Has manufactured dose form  attributes were added</li> <li>• New  Has basis of strength substance ,  Has presentation strength numerator value ,  Has presentation strength numerator unit ,  Has presentation strength denominator value , and  Has presentation strength denominator unit  attributes were added</li> </ul>

## 2.2.11 Physical objects

- 218 new device concepts added.

## 2.2.12 Procedures

- Revision of hierarchy 23968004|Colectomy (procedure) and subtypes
- Laterality requests for diagnostic imaging across MRI, CT, X-ray and ultrasonography and interventional radiology

## 2.2.13 Social concept

No significant changes for this release.



## 2.2.14 Specimen

- 30 new concepts were added

## 2.2.15 Substances

- Summary of changes:
  1. New hierarchy added with semantic tag: Disposition (disposition) 726711005
  2. New attribute added: Has disposition(attribute) 726542003
  3. Concepts containing disjunctives were inactivated, e.g:
    - Antigen of Neisseria meningitidis A + Y (substance)
    - Butyrylcarnitine + isobutyrylcarnitine (substance)
    - Immunoglobulin A antibody to Bordetella pertussis filamentous hemagglutinin + Bordetella pertussis toxin (substance)
  4. Concepts containing brand names were Inactivated e.g:
    - Horlicks drink (substance)
    - Ovaltine drink (substance)



### Release plans, Substance hierarchy

For further details on the planned changes in this area, please refer to the Substances project.

Please note, you may have to register for Confluence user account in order to access this project.

## 2.2.16 Foundation metadata component

Descriptions that are inactivated in the International Edition will use one of the following four values:

- | [Not semantically equivalent component \(foundation metadata concept\)](#) | - new concept
- | [Outdated component \(foundation metadata concept\)](#) |
- | [Erroneous component \(foundation metadata concept\)](#) |
- | [Non conformance to editorial policy component \(foundation metadata concept\)](#) | - new concept.

These values will not be applied retroactively.

## 2.3. Internal Quality Improvement

## 2.3.1 Case significance indicator

In order to align in accordance with the RF2 specification, a technical batch change was made to the case significance value for over 760,000 descriptions.

- Changed from 900000000000020002|Only initial character case insensitive (core metadata concept)| to 900000000000448009|Entire term case insensitive (core metadata concept)|.

For further details please refer to the document linked here: [IHTSDO-950 Update of case significance assignment following the RF2 specification](#)

## 2.3.2 OWL axiom reference set

Following the recommendation from Modeling Advisory Group, four new concepts have been added to support the development of OWL axiom reference set:

- 733073007 |OWL axiom reference set|
- 733929006 |General concept axiom|
- 734147008 |OWL ontology header|
- 734146004 |OWL ontology namespace|

## 2.3.3 Dentistry Odontogram refset

- Odontogram - in anticipation of release the Odontogram Refset in August 2017, all supporting concepts were added following approval at the London meeting of the Dentistry project group

## 2.3.4 New attributes and values

Attribute (referencedComponentId_term)	rangeConstraint	Domain constraint
---	-----------------	----------------------

Before	<< 71388002  Procedure (procedure)	Clinical finding Event
Component	<< 123037004  Body structure (body structure)  OR << 410607006  Organism (organism)  OR << 105590001  Substance (substance)  OR << 123038009  Specimen (specimen)  OR << 260787004  Physical object (physical object)  OR << 373873005  Pharmaceutical / biologic product (product)  OR << 419891008  Record artifact (record artifact)	Clinical finding Event
Due to	<< 404684003  Clinical finding (finding)  OR << 272379006  Event (event)  OR << 71388002  Procedure (procedure)	Clinical finding Event
During	<< 71388002  Procedure (procedure)	Clinical finding Event
During AND/OR after	<< 404684003  Clinical finding (finding)  OR << 71388002  Procedure (procedure)	Clinical finding Event
Finding context	<< 410514004  Finding context value (qualifier value)	Finding with explicit context (situation)
Finding informer	<< 420158005  Performer of method (person)  OR << 419358007  Subject of record or other provider of history (person)  OR << 444018008  Person with characteristic related to subject of record (person)	Clinical finding
Has basis of strength substance	< 105590001  Substance (substance)	Pharmaceutical / biologic product (product)
Has disposition	< 726711005  Disposition (disposition)	Substance
Has interpretation	<< 260245000  Finding values (qualifier value)  OR << 263714004  Colors (qualifier value)	Clinical finding
Has presentation strength denominator unit	< 258666001  Unit (qualifier value)	Pharmaceutical / biologic product (product)
Has presentation strength denominator value	< 260299005  Number (qualifier value)	Pharmaceutical / biologic product (product)
Has presentation strength numerator unit	< 258666001  Unit (qualifier value)	Pharmaceutical / biologic product (product)
Has presentation strength numerator value	< 260299005  Number (qualifier value)	Pharmaceutical / biologic product (product)
Pathological process	263680009  Autoimmune (qualifier value)  OR << 441862004  Infectious process (qualifier value)  OR << 472963003  Hypersensitivity process (qualifier value)  OR << 308490002  Pathological developmental process (qualifier value)	Clinical finding
Temporally related to	<< 404684003  Clinical finding (finding)  OR << 71388002  Procedure (procedure)	Clinical finding Event

## 2.4 SNOMED CT derived products

## 2.4.1 ICD-10 map

The SNOMED CT to the International Statistical Classification of Diseases and Related Health Problems, Tenth Revision (© World Health Organisation 1994) 2016 Version map (SNOMED CT to ICD-10 Map) is included in the SNOMED CT International release as a Baseline. The SNOMED CT to ICD-10 Map was created to support the epidemiological, statistical and administrative reporting needs of SNOMED International member countries and WHO Collaborating Centres.

The SNOMED CT to ICD-10 Map is released in Release Format 2 (RF2) only. It is located in the file `der2_iisssccRefset_ExtendedMapFull_INT_20170131.txt`, which is in the Map folder under Refset, in each of the three RF2 Release Type folders.

The SNOMED CT to ICD-10 Map is released as Refset 447562003 [ICD-10 complex map reference set (foundation metadata concept)].

### 2.4.1.1 Content development activity summary

The map is a directed set of relationships from SNOMED CT source concepts to ICD-10 target classification codes. The SNOMED CT source domains for the MAP are limited to subtypes of 404684003 [clinical finding], 272379006 [event] and 243796009 [situation with explicit context]. The target classification codes are ICD-10 2016 release.

### 2.4.1.2 Mapped content for July 2017

The map provided for the July 2017 release has been updated, and now represents a complete map from SNOMED CT International release to ICD-10 2016 version.

- 2373 new concepts added

We would welcome feedback on any issues that users of the map may detect when using the map. Issues should be submitted via [mapping@sno.med.org](mailto:mapping@sno.med.org)

## 3 Technical notes

### 3.1 Known Issues

Known Issues are content or technical issues where the root cause is understood, and the resolution has been discussed and agreed but has yet to be implemented. This can be due to a number of reasons, from lack of capacity within the current editing cycle, to the risk of impact to the stability of SNOMED CT if the fix were to be deployed at that stage in the Product lifecycle.

For the Snomed CT July 2017 International edition, the following Known Issues were identified, and agreed to be resolved in the next editing cycle (to be published in July 2017):

Key	Summary	Description
-----	---------	-------------

No issues found

### 3.2 Resolved Issues

Resolved issues are Known Issues which were not fixed as part of the previous release lifecycle, but which have now been resolved in the latest release - in this case the July 2017 International Edition. They can also be issues found during the Alpha and Beta testing of the current release, which were resolved before the final deployment of the associated Member release. Finally they can be issues which were reported or found during the testing phase, but which have been closed without any action taken.

The Resolved Issues for the Snomed CT July 2017 International edition can be found here:

Key	Summary	Description
-----	---------	-------------

Resolved

ISRS-46	MOVED_TO status acceptability (RF1)	<p>Ten RF1 descriptions for active concepts are status 10 (MOVED_TO), alongside descriptions with active status:</p> <p>473038012: Hyperprolinemia type II  473040019: Hyperprolinemia, type II  357693015: Lichen planus pigmentosus  377070012: Joubert syndrome  378213010: Irapa type spondyloepimetaphyseal dysplasia  1787720010: Frontal fibrosing alopecia  473039016: Hyperprolinaemia type II  473043017: Hyperprolinaemia, type II  113698011: Warkany syndrome  187742012: Caroli's disease</p> <p>RESOLUTION: SNOMED International Content team have inactivated all of the descriptions in question with reason "moved elsewhere"</p>	2016-Nov-21
ISRS-50	Open RVF failures from the Production build	<p>The following failures occurred after we added new RVF assertions in to cover issues found during the Alpha/Beta feedback period.</p> <p>0cc708af-6816-4370-91be-dba8da99d227 "Description: id=60213011 is in the delta file, but no actual changes made since the previous release."</p> <p>4478a896-2724-4417-8bce-8986ecc53c4e "Concept: id=10082001 is in the delta file, but no actual changes made since the previous release."</p> <p>35680574-3ac6-4b68-9efe-de88b677eb35 "Association refset id=0e23f0c4-3dfa-5278-b35f-03e2cda41a7e is in the delta file, but no actual changes made since the previous release."</p> <p>cab60a2f-4239-4933-91d6-dc910a8ac08b "Stated relationship: id=3862464027 is in the delta file, but no actual changes made since the previous release."</p> <p>These failures can be safely ignored for this release, as they are simply highlighting the results of the manual fixes that we had to implement as part of the Alpha/Beta feedback period, in order to resolve some teething issues with the SCA.</p> <p>They therefore simply need to be verified after the final release has been deployed, in order to ensure that, as expected, they have not re-occurred.</p> <p>RESOLUTION: Remaining failures were resolved as planned.</p>	2017-May-15
ISRS-102	Two concepts in scope from the ICD-11 perspective that aren't mapped	<p>There are 2 concepts that after new type of validation have been shown to not have any equivalent ICD-10 maps:</p> <p><u>ID Preferred Name</u></p> <p>722302009 Glycogen storage disease type II infantile onset (disorder)</p> <p>722343009 Glycogen storage disease type II late onset (disorder)</p> <p>This was not reported until very late in the January 2017 release cycle. It was therefore discussed with the relevant Stakeholders, and the potential risk of impact involved in implementing a change to the content at this late stage in the release cycle was decided to be far greater than the perceived benefit of adding in just two map records. This will therefore be resolved in the July 2017 editing cycle, in order to preserve the quality of the January 2017 International edition.</p> <p>RESOLUTION: SNOMED International Mapping Team have now mapped both concepts in the July 2017 editing cycle, and so these will be included in the July 2017 International Edition release.</p>	2019-Jun-20
ISRS-149	Removal of the SNOMED Identifier refset from the International Edition package as per the planned deprecation	<p>As per the planned deprecation of antecedent SNOMED works (<a href="https://confluence.ihtsdotools.org/download/attachments/12779613/Antecedent%20SNOMED%20versions_External%20Newsletter%20Q1_v1.0.docx?version=1&amp;modificationDate=1438866649000&amp;api=v2">https://confluence.ihtsdotools.org/download/attachments/12779613/Antecedent%20SNOMED%20versions_External%20Newsletter%20Q1_v1.0.docx?version=1&amp;modificationDate=1438866649000&amp;api=v2</a>), the SNOMED CT Identifier refset will be removed from the International Edition package as of the July 2017 International Edition.</p> <p>RESOLUTION: SNOMED CT Identifier refset removed from the July 2017 International Edition as planned.</p>	2019-Jun-20
ISRS-150	Refinement of ISRS-117 - Active "WAS A" historical associations that have not been updated when the target	<p>The resolution for <del>ISRS-147</del> was completed for the January 2017 International Edition.</p> <p>This now needs to be further refined in order to ensure that the historical audit trail remains intact.</p> <p>RESOLUTION: The 64 cases found in the current release with these issues have now been resolved in the July 2017 International Edition.</p>	2019-Jun-20

concepts are  
inactivated

ISRS-153	Text definition set as the en-GB preferred term of a concept	<p>The following issue was reported during the July 2017 International edition editing cycle:</p> <p>For concept 722183007   Embolization of hepatic artery using selective internal radiation therapy (procedure)  , two descriptions were created, one for en-GB and one for en-US, due to the difference in spelling.</p> <p>3331000018 is the en-GB textDefinition, and has been assigned a descriptionType of "preferred synonym", instead of "preferred definition".</p> <p>RESOLUTION: The SNOMED International content team have updated the descriptionType in question, as part of the current cycle of content changes. It will therefore be published as part of the July 2017 International Edition. The Release Validation Framework will also be updated to include a validation check to capture any similar issues going forward.</p>	2019-Jun-20
ISRS-166	Inactive Historical Associations discovered with invalid targetComponentID's	<p>The following Historical Associations have had invalid inactive records added in the previous release cycle:</p> <p><a href="https://docs.google.com/spreadsheets/d/1X_T8t2d5SFqBICorUORYhJbL9L8pWHMeKRJBjq0bMds/edit#gid=1682849169">https://docs.google.com/spreadsheets/d/1X_T8t2d5SFqBICorUORYhJbL9L8pWHMeKRJBjq0bMds/edit#gid=1682849169</a></p> <p>RESOLUTION: Historical Association records fixed in time for the July 2017 International Edition.</p>	2017-May-12
ISRS-167	Delete born inactive stated relationships found in the daily build validation report	<p>Born inactive stated relationships need to be deleted before alpha release.</p> <p><a href="https://docs.google.com/a/ihtsdo.org/spreadsheets/d/1_tcm-qiyJ29zXblzXjkyp8teSBIRnfySrcghwVrwh54/edit?usp=sharing">https://docs.google.com/a/ihtsdo.org/spreadsheets/d/1_tcm-qiyJ29zXblzXjkyp8teSBIRnfySrcghwVrwh54/edit?usp=sharing</a></p> <p><a href="https://rvf.ihtsdotools.org/api/v1/result/1494474563274?storageLocation=international/snomed_ct_ts_release/2017-05-11T03:15:01">https://rvf.ihtsdotools.org/api/v1/result/1494474563274?storageLocation=international/snomed_ct_ts_release/2017-05-11T03:15:01</a></p> <p>RESOLUTION: Born inactive Stated Relationship records were removed accordingly.</p>	2019-Jun-20
ISRS-170	Potential MRCM Validation failure - domain=Domain {domainConstraint='<<404684003 Clinical finding (finding) '	<p>The following 2 records appears to contravene the Domain constraint, as follows:</p> <p>42752001=Due to (attribute) applied to 268460000=Contraceptive device (physical object)</p> <p><b>Relationship snapshot records:</b></p> <p>id effective time active module id source id destination id relationship group type id characteristic type id modifier id</p> <p>7008666020 20170731 1 9000000000000207008 733528009 268460000 0 42752001 900000000000011006</p> <p>9000000000000451002</p> <p>7008672020 20170731 1 9000000000000207008 733529001 268460000 0 42752001 900000000000011006</p> <p>9000000000000451002</p> <p>RESOLUTION: The relevant Relationships have been removed accordingly.</p>	2019-Jun-20
ISRS-171	RVF Assertion failure: c3249e80-84f0-11e1-b0c4-0800200c9a66	<p>"assertionUuid": "c3249e80-84f0-11e1-b0c4-0800200c9a66",</p> <p>"assertionText": "Calling procedure testing that terms that contain EN-US language-specific words are in the same US language refset.",</p> <p>"queryInMilliseconds": 8862,</p> <p>"failureCount": 481,</p> <p>"firstNInstances": [</p> <p>{ "conceptId": "372401005", "detail": "DESCRIPTION: id=1210952018: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: acanthamoeba" }</p> <p>,</p> <p>{ "conceptId": "444612005", "detail": "DESCRIPTION: id=2872859011: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: acanthamoeba" }</p> <p>,</p> <p>{ "conceptId": "247894000", "detail": "DESCRIPTION: id=370105019: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: aggrandisement" }</p> <p>,</p> <p>{ "conceptId": "391747009", "detail": "DESCRIPTION: id=1485745018: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: aluminium" }</p> <p>,</p> <p>{ "conceptId": "391749007", "detail": "DESCRIPTION: id=1485746017: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: aluminium" }</p> <p>,</p> <p>{ "conceptId": "392682000", "detail": "DESCRIPTION: id=1486658017: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: anaemia" }</p>	2017-May-20

```

,

{ "conceptId": "393572004", "detail": "DESCRIPTION: id=1487426012: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: anaemia" }

,

{ "conceptId": "393640005", "detail": "DESCRIPTION: id=1487494015: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: anaemia" }

,

{ "conceptId": "469433000", "detail": "DESCRIPTION: id=2942363019: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: anaesthesia" }

,

{ "conceptId": "701275000", "detail": "DESCRIPTION: id=2992662016: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: anaesthesia" }

,

{ "conceptId": "393358009", "detail": "DESCRIPTION: id=1487234016: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: anaesthetics" }

,

{ "conceptId": "394308008", "detail": "DESCRIPTION: id=1488063014: Synonym is preferred in US Language refset but refers to a word that has en-gb spelling: anaesthetics" }

,

```

RESOLUTION: This is just a warning and not an error and so no action is required.

ISRS-172	<a href="#">RVF Assertion failure: cc9c5340-84f0-11e1-b0c4-0800200c9a66</a>	<pre> "assertionUuid": "cc9c5340-84f0-11e1-b0c4-0800200c9a66", "assertionText": "Calling procedure testing that terms that contain EN-GB language-specific words are in the same GB language refset.", "queryInMilliseconds": 46787, "failureCount": 2036, "firstNInstances": [  { "conceptId": "426217000", "detail": "DESCRIPTION: id=2675118011: Synonym is preferred in the GB Language refset but refers to a word that has en-us spelling: aleukemic" }  ,  { "conceptId": "426248008", "detail": "DESCRIPTION: id=2675183013: Synonym is preferred in the GB Language refset but refers to a word that has en-us spelling: aleukemic" }  ,  { "conceptId": "22695001", "detail": "DESCRIPTION: id=2763854012: Synonym is preferred in the GB Language refset but refers to a word that has en-us spelling: aleukemic" }  ,  { "conceptId": "35750002", "detail": "DESCRIPTION: id=2765156010: Synonym is preferred in the GB Language refset but refers to a word that has en-us spelling: aleukemic" }  ,  { "conceptId": "70321000119108", "detail": "DESCRIPTION: id=2989886018: Synonym is preferred in the GB Language refset but refers to a word that has en-us spelling: aluminum" }  ,  { "conceptId": "2468001", "detail": "DESCRIPTION: id=5221017: Synonym is preferred in the GB Language refset but refers to a word that has en-us spelling: analyzer" }  ,  { "conceptId": "8615009", "detail": "DESCRIPTION: id=15217012: Synonym is preferred in the GB Language refset but refers to a word that has en-us spelling: analyzer" }  ,  RESOLUTION: This is just a warning and not an error and so no action is required. </pre>	2017-May-20
ISRS-173	<a href="#">RVF Assertion failure: d9f8a8d6-2c02-11e7-b0e7-</a>	<pre> "assertionUuid": "d9f8a8d6-2c02-11e7-b0e7-3c15c2c6e32e", "assertionText": "The FSN term should be unique in active content when case sensitivity is ignored.", "queryInMilliseconds": 2049276, "failureCount": 15, "firstNInstances": [ </pre>	2017-May-23

```

3c15c2c6e32e { "conceptId": "15469000", "detail": "FSN=Blood group antibody p (substance) concept=15469000: FSN term
is not unique in description snapshot when case is ignored" }

,

{ "conceptId": "37300006", "detail": "FSN=Blood group antibody h (substance) concept=37300006: FSN term
is not unique in description snapshot when case is ignored" }

,

{ "conceptId": "3807007", "detail": "FSN=Blood group antigen c (substance) concept=3807007: FSN term is
not unique in description snapshot when case is ignored" }

,

{ "conceptId": "38194003", "detail": "FSN=Weak e phenotype (finding) concept=38194003: FSN term is not
unique in description snapshot when case is ignored" }

,

{ "conceptId": "45969000", "detail": "FSN=Blood group antibody i (substance) concept=45969000: FSN term
is not unique in description snapshot when case is ignored" }

,

{ "conceptId": "45992000", "detail": "FSN=Blood group antigen s (substance) concept=45992000: FSN term
is not unique in description snapshot when case is ignored" }

,

{ "conceptId": "47662005", "detail": "FSN=Blood group antigen h (substance) concept=47662005: FSN term
is not unique in description snapshot when case is ignored" }

,

{ "conceptId": "61271006", "detail": "FSN=Blood group antibody s (substance) concept=61271006: FSN term
is not unique in description snapshot when case is ignored" }

,

{ "conceptId": "62523009", "detail": "FSN=Blood group antibody e (substance) concept=62523009: FSN term
is not unique in description snapshot when case is ignored" }

,

{ "conceptId": "64259001", "detail": "FSN=Blood group antigen e (substance) concept=64259001: FSN term
is not unique in description snapshot when case is ignored" }

,

{ "conceptId": "64846003", "detail": "FSN=Blood group antigen i (substance) concept=64846003: FSN term
is not unique in description snapshot when case is ignored" }

,

{ "conceptId": "81835007", "detail": "FSN=Weak c phenotype (finding) concept=81835007: FSN term is not
unique in description snapshot when case is ignored" }

,

{ "conceptId": "8362009", "detail": "FSN=Blood group antibody c (substance) concept=8362009: FSN term is
not unique in description snapshot when case is ignored" }

,

{ "conceptId": "88341002", "detail": "FSN=Blood group antibody k (substance) concept=88341002: FSN term
is not unique in description snapshot when case is ignored" }

,

{ "conceptId": "406002002", "detail": "FSN=cde haplotype (finding) concept=406002002: FSN term is not
unique in description snapshot when case is ignored" }

RESOLUTION: These have been confirmed by the SNOMED International Content Team to be false
positives, which can therefore be safely ignored.

```

ISRS-  
174

The first  
letter of the  
FSN should  
be  
capitalized.  
RVF  
Assertion  
failure:

```

"assertionUuid": "dd0d0406-7481-444a-9f04-b6fc7db49039",
"assertionText": "The first letter of the FSN should be capitalized.",
"queryInMilliseconds": 2060,
"failureCount": 58,
"firstNInstances": [

{ "conceptId": "198030008", "detail": "DESC: id=582480013:First letter of the active FSN of active concept
not capitalized." }

```

2019-Jun-20



dd0d0406-7481-444a-9f04-b6fc7db49039

```
,
{ "conceptId": "228961005", "detail": "DESC: id=616608018:First letter of the active FSN of active concept not capitalized." }
,
{ "conceptId": "228969007", "detail": "DESC: id=616618011:First letter of the active FSN of active concept not capitalized." }
,
{ "conceptId": "228979009", "detail": "DESC: id=616629010:First letter of the active FSN of active concept not capitalized." }
,
{ "conceptId": "258259005", "detail": "DESC: id=649653011:First letter of the active FSN of active concept not capitalized." }
,
{ "conceptId": "258889007", "detail": "DESC: id=650356013:First letter of the active FSN of active concept not capitalized." }
,
{ "conceptId": "259011007", "detail": "DESC: id=650492013:First letter of the active FSN of active concept not capitalized." }
,
{ "conceptId": "259047008", "detail": "DESC: id=650532013:First letter of the active FSN of active concept not capitalized." }
,
{ "conceptId": "259048003", "detail": "DESC: id=650533015:First letter of the active FSN of active concept not capitalized." }
,
{ "conceptId": "259049006", "detail": "DESC: id=650534014:First letter of the active FSN of active concept not capitalized." }
,
{ "conceptId": "259060002", "detail": "DESC: id=650546013:First letter of the active FSN of active concept not capitalized." }
```

RESOLUTION: Invalid descriptions inactivated, and valid descriptions added in for July 2017 with capitalised first words.

ISRS-175 RVF Assertion failure: f7117eb0-7cd6-11e1-b0c4-0800200c9a66

```
"assertionUuid": "f7117eb0-7cd6-11e1-b0c4-0800200c9a66",
"assertionText": "Active historical association refset members have inactive concepts as reference components.",
"queryInMilliseconds": 1663,
"failureCount": 14379,
"firstNInstances": [
{ "conceptId": "280164007", "detail": "MEMBER: id=80024464-d5ea-4a12-b933-606a6056c06f:Historical refset member is active, but refers to an active concept." }
,
{ "conceptId": "88731002", "detail": "MEMBER: id=800637ed-978e-4dfa-be08-4e01bf5ad2c1:Historical refset member is active, but refers to an active concept." }
,
{ "conceptId": "278772006", "detail": "MEMBER: id=800b7f78-fd36-4a42-b900-73aa4ab11a75:Historical refset member is active, but refers to an active concept." }
,
{ "conceptId": "58287003", "detail": "MEMBER: id=80214885-ea37-4768-ae39-b985e0f8384b:Historical refset member is active, but refers to an active concept." }
,
```

2017-May-22

```
{ "conceptId": "299701004", "detail": "MEMBER: id=8024c43a-54bb-4ea3-8555-5af9c8adda76:Historical  
refset member is active, but refers to an active concept." }
```

,

```
{ "conceptId": "84540008", "detail": "MEMBER: id=802c0ca6-beba-4a2b-a3be-93b1a6478451:Historical  
refset member is active, but refers to an active concept." }
```

,

```
{ "conceptId": "279793002", "detail": "MEMBER: id=802e89f1-312f-4027-be34-581724e7b03d:Historical  
refset member is active, but refers to an active concept." }
```

,

```
{ "conceptId": "81661008", "detail": "MEMBER: id=80313789-951a-4633-b550-42e78f380362:Historical  
refset member is active, but refers to an active concept." }
```

,

```
{ "conceptId": "20963009", "detail": "MEMBER: id=803634b8-86f5-4ed1-804b-04a3824d7d9b:Historical  
refset member is active, but refers to an active concept." }
```

,

RESOLUTION: The RVF assertion needs to be updated in order to allow for the new SEP refsets in the Association Reference set. These failures can therefore safely be ignored for now.

ISRS-177	ICD-0 map historical issues	<p>The SNOMED International mapping team have raised the following queries with regards to the ICD-0 maps, and their place within the simpleMap files and their relation to the ICD-10 maps:</p> <p>1. Why do the simpleMap files historically contain both ICD-O Morphology maps (as expected), and maps to ICD-10 neoplasms?</p> <p>For example:</p> <pre>8000baeb-e1a1-50e8-b28f-7a687d3cf1c5 20020131 1 900000000000207008 446608001 2681003 C47.5 (ICD-10 code) 8006ac43-05ae-561c-b9bc-d9d8d85b1a04 20020131 1 900000000000207008 446608001 71888007 C44.6 800ac1a6-15e5-5e98-b493-a3a10237f9d2 20020731 1 900000000000207008 446608001 305006007 C41.3</pre> <p>2. In addition to them being included in the simpleMap files contrary to expectations, they also appear to have records in the extendedMap files (dating from 2013 onwards), related to ICD-10 - does this mean that the original records in the simpleMap are duplicates and should have been removed when the ICD-10 map records superseded them?</p> <p>For example:</p> <pre>e27c70bf-dc4f-5e57-b1b9-f04de06b027b 20130731 1 449080006 447562003 188327005 1 1 TRUE ALWAYS C47.5   MAPPED FOLLOWING WHO GUIDANCE   POSSIBLE REQUIREMENT FOR MORPHOLOGY CODE C47.5 447561005 447637006 e27c70bf-dc4f-5e57-b1b9-f04de06b027b 20130731 1 449080006 447562003 188327005 1 1 TRUE ALWAYS C47.5   MAPPED FOLLOWING WHO GUIDANCE   POSSIBLE REQUIREMENT FOR MORPHOLOGY CODE C47.5 447561005 447637006</pre> <p>There is most likely a valid rationale for this approach, and so we are simply looking to understand it in order to inform decisions as to the appropriate course of action to take going forward.</p> <p>RESOLUTION: SNOMED International Mapping team confirmed that they've been removed now, so not an issue any longer.</p>	2019-Jun-20
----------	-----------------------------	---	-------------

ISRS-178	Unexpected ICD-0 inactivation records in the termServer simpleMap export	<p>In the SimpleMap Delta we exported from the mapping file, it contained 95 new activations for ICD-0.</p> <p>However, in the final SimpleMap files in the release package, we're getting 105 records referencing ICD-0, including the following 10 inactivations that we've traced back to the simpleMap file exported from the termServer:</p> <pre>&gt; 20170731 0 900000000000207008 446608001 128507001 C49.2 &gt; 20170731 0 900000000000207008 446608001 128507001 C49.9 &gt; 20170731 0 900000000000207008 446608001 244256001 C49.3 &gt; 20170731 0 900000000000207008 446608001 245484003 C54.9 &gt; 20170731 0 900000000000207008 446608001 303982006 C44.6 &gt; 20170731 0 900000000000207008 446608001 361904009 C49.2 &gt; 20170731 0 900000000000207008 446608001 367612008 C54.9 &gt; 20170731 0 900000000000207008 446608001 56322004 C49.3 &gt; 20170731 0 900000000000207008 446608001 76083001 C71.7 &gt; 20170731 0 900000000000207008 446608001 84732004 C49.2</pre> <p>The mapping team are unaware of why these should have been updated, and so we need to prove whether or not they are valid changes.</p> <p>RESOLUTION: SNOMED International Content Team confirmed that these were expected changes, and Mapping Team confirmed everything as expected, therefore no action required.</p>	2017-Jun-01
----------	--	---	-------------

ISRS-179	RVF Assertion failure: 89ceaf00-79b9-11e1-b0c4-0800200c9a66	<p>"assertionUuid": "89ceaf00-79b9-11e1-b0c4-0800200c9a66",  "assertionText": "All stated relationships inactivated in current release must have been active in the previous release.",  "queryInMilliseconds": 24173,  "failureCount": 2,  "firstNInstances": [</p> <p>{ "conceptId": "733529001", "detail": "Stated relationship: id=7002472022 is inactive in the current release but no active state found in the previous snapshot." }</p> <p>,</p> <p>{ "conceptId": "733528009", "detail": "Stated relationship: id=7002479029 is inactive in the current release but no active state found in the previous snapshot." }</p> <p>],</p> <p>RESOLUTION: Relevant born inactive Stated Relationships removed accordingly.</p>	2019-Jun-20
ISRS-180	RVF Assertion failure: eff30fb0-7856-11e1-b0c4-0800200c9a66	<p>"assertionUuid": "eff30fb0-7856-11e1-b0c4-0800200c9a66",  "assertionText": "All language refset members inactivated in current snapshot must have been active in the previous release.",  "queryInMilliseconds": 64307,  "failureCount": 8,  "firstNInstances": [</p> <p>{ "conceptId": "3499616017", "detail": "Language Refset: id=85d31301-45a6-4344-a28e-1c357975dd62 is inactive but no active state found in previous release." }</p> <p>,</p> <p>{ "conceptId": "3499616017", "detail": "Language Refset: id=c1e2364a-9413-4e70-aaa1-9abe62165a2b is inactive but no active state found in previous release." }</p> <p>,</p> <p>{ "conceptId": "3499619012", "detail": "Language Refset: id=e97fc6fd-68de-451b-b7c2-fdab05db4d00 is inactive but no active state found in previous release." }</p> <p>,</p> <p>{ "conceptId": "3499617014", "detail": "Language Refset: id=f3814870-ee80-459d-bdb6-310688626fa5 is inactive but no active state found in previous release." }</p> <p>,</p> <p>{ "conceptId": "3499617014", "detail": "Language Refset: id=fd8a80da-a79a-4f9f-bf93-378657935e85 is inactive but no active state found in previous release." }</p> <p>,</p> <p>{ "conceptId": "3499618016", "detail": "Language Refset: id=1575a4c0-b70f-4267-81cf-47f44dfad066 is inactive but no active state found in previous release." }</p> <p>,</p> <p>{ "conceptId": "3499618016", "detail": "Language Refset: id=2168b9f2-6ab3-4911-b14d-01d20c08e3d7 is inactive but no active state found in previous release." }</p> <p>,</p> <p>{ "conceptId": "3499619012", "detail": "Language Refset: id=65ae52bb-ed7f-4df1-8d5a-55388ffb223b is inactive but no active state found in previous release." }</p> <p>],</p> <p>RESOLUTION: This is just a warning and not an error and so no action is required.</p>	2017-May-24
ISRS-181	RVF Assertion failure: 2b193a88-8dab-4d19-b995-b556ed59398d	<p>"assertionUuid": "2b193a88-8dab-4d19-b995-b556ed59398d",  "assertionText": "New inactive states follow active states in the DESCRIPTION snapshot.",  "queryInMilliseconds": 15019,  "failureCount": 4,  "firstNInstances": [</p> <p>{ "conceptId": "733528009", "detail": "DESCRIPTION: id=3499616017 is inactive but no active state found in the previous snapshot." }</p> <p>,</p> <p>{ "conceptId": "733528009", "detail": "DESCRIPTION: id=3499617014 is inactive but no active state found in the previous snapshot." }</p>	2017-May-24

{ "conceptId": "733529001", "detail": "DESCRIPTION: id=3499618016 is inactive but no active state found in the previous snapshot." }

{ "conceptId": "733529001", "detail": "DESCRIPTION: id=3499619012 is inactive but no active state found in the previous snapshot." }

RESOLUTION: These warnings are due to a system defect - WRP-3146 ticket has been raised to resolve. These can therefore be safely ignored for this release.

ISRS-182	MRCM validation failure on concepts having invalid attribute 424876005 (Surgical approach)	<p>The following concepts are reported by the MRCM validation to have inappropriate attributes:</p> <ul style="list-style-type: none"><li>• 429062005</li><li>• 448396008</li><li>• 710285001</li><li>• 428563002</li><li>• 428565009</li><li>• 448603000</li></ul> <p>Inferred view: id effectiveTime active moduleId sourceId destinationId relationshipGroup typeId characteristicType modifierId 7001611029 20170731 1 900000000000207008 428563002 261449002 2 424876005 900000000000011006 900000000000451002 7001616023 20170731 1 900000000000207008 428565009 261449002 2 424876005 900000000000011006 900000000000451002 7001621021 20170731 1 900000000000207008 429062005 261449002 2 424876005 900000000000011006 900000000000451002 7001627020 20170731 1 900000000000207008 448396008 103387006 2 424876005 900000000000011006 900000000000451002 7001630029 20170731 1 900000000000207008 448603000 103387006 2 424876005 900000000000011006 900000000000451002 7001638020 20170731 1 900000000000207008 710285001 103387006 1 424876005 900000000000011006 900000000000451002</p> <p>Stated view: id effectiveTime active moduleId sourceId destinationId relationshipGroup typeId characteristicType modifierId 6994054029 20170731 1 900000000000207008 429062005 261449002 1 424876005 900000000000010007 900000000000451002 6994436023 20170731 1 900000000000207008 448396008 103387006 1 424876005 900000000000010007 900000000000451002</p> <p>Note: MRCM rule states that 424876005(Surgical approach) applies to Domain 387713003 (Surgical procedure)</p> <p>RESOLUTION: Concepts re-modelled accordingly in time for the July 2017 International Edition.</p>	2019-Jun-20
----------	--	---	-------------

ISRS-183	RF2 to RF1 conversion issue	<p>The RF2 to RF1 conversion is failing and it appears to be data related - attached log file gives details but it looks like there is an issue calculating the value of a description status in RF1. Whatever is in RF2 is not giving enough information to calculate the RF1 value and it is coming back as null, which fails the query.</p> <p>There are two possible causes from the information in the log file:</p> <ol style="list-style-type: none"><li>1. An un-attached description, i.e. where we had a reference to a concept ID in the descriptions file that was not in the concepts file. Checked this and all is good...</li><li>2. Alternative was a value (or values) in the Attribute Value reference set that was not being handled by the conversion code when associated with an inactive description ID. Bingo, we have our culprits, there are two concept IDs used in the valuelid field of the Attribute Value reference set that have not been used before. Next checked the actual source code on Github for the RF2 to RF1 conversion routine and found the hard coded list of maps between the valuelid and RF1 description status does not have these two values in it. This is the list referenced by the getMagicNumber method. The values at issue are 723277005 'Nonconformance to editorial policy component (foundation metadata concept)' and 723278000 'Not semantically equivalent component (foundation metadata concept)' occurring in reference set 900000000000490003.</li></ol> <p>RESOLUTION: RF2 to RF1 conversion utility has been updated accordingly.</p>	2017-Jun-01
----------	-----------------------------	---	-------------

ISRS-184	SCTID's using Description ID format instead of Concept ID's	<p>Seven Concept ID's were found to be unexpectedly using partition ID's appropriate for Description ID's:</p> <ul style="list-style-type: none"><li>• 3446012016</li><li>• 3446013014</li><li>• 3446014015</li><li>• 3446015019</li><li>• 3446016018</li><li>• 3446017010</li><li>• 3446018017</li></ul>	2019-Jun-20
----------	---	---	-------------

This was found to be a result of these concepts having been loaded in manually through the CRS, which bypassed the standard validation and therefore allowed them to be created in the wrong format in the termServer.

RESOLUTION: Offending concepts were removed accordingly.

ISRS-185	Relationship with invalid typeId	Relationship 6923064024 (sourceId= 724482006) should have a typeId of 363714003 Interprets   This is a result of the Concept having two attributes, one of which should be "363714003 Interprets "  Amended in <a href="https://authoring.ihtsdotools.org/#/tasks/task/RFBINTJULA/RFBINTJULA-11/">https://authoring.ihtsdotools.org/#/tasks/task/RFBINTJULA/RFBINTJULA-11/</a>  RESOLUTION: Concept re-modelled accordingly for the July 2017 International Edition.	2019-Jun-20
----------	----------------------------------	--	-------------

ISRS-186	Descriptions that could potentially be textDefinitions	The following descriptions look like text definitions: 92105015 55402005 Hospital admission, for laboratory work-up, radiography, etc. - Suggest CRS request: old concept since 2002 could be inactivated as it is ambiguous but not touched in this release. 2988848017 32456001 Medulloblastoma with extensive nodularity and advanced neuronal differentiation. - looks like definition incorrectly marked as syn. 3042799019 710025005 Hamular notch is well defined to establish the posterior extension of the denture base. 3311128017 718089001 Post extubation acute respiratory failure requiring reintubation. 638911000124112 435801000124108 Alter the consistency of foods to optimize chewing and swallowing. (Source: Nutrition Care Manual, Academy of Nutrition and Dietetics 2013). 648331000124115 439021000124105 Liquids included in the diet are provided at a viscosity of 51--350 centipoise (cP). (Source: Nutrition Care Manual, Academy of Nutrition and Dietetics 2013). 648361000124112 439031000124108 Liquids included in the diet are provided at a viscosity of 351-1750 centipoise (cP). (Source: Nutrition Care Manual, Academy of Nutrition and Dietetics 2013). 648391000124116 439041000124103 Liquids included in the diet are provided at a viscosity of > 1750 centipoise (cP). (Source: Nutrition Care Manual, Academy of Nutrition and Dietetics 2013). 648501000124118 439081000124109 Liquids included in the diet are provided at a viscosity of 1-50 centipoise (cP). (Source: Nutrition Care Manual, Academy of Nutrition and Dietetics 2013). 648571000124112 439101000124101 Replace very hard, sticky or crunchy foods with those that are soft and moist. Treatment for dental problems and mouth soreness. (Source: Nutrition Care Manual, Academy of Nutrition and Dietetics 2013).  RESOLUTION: Synonyms changed to TextDefinitions, or inactivated as ambiguous as appropriate.	2019-Jun-20
----------	--	--	-------------

ISRS-187	Born inactive descriptions	Several inactive descriptions have never been published, and so don't need to be in the release files:  3499616017 2017-07-31 00:00:00.0 0 900000000000207008 733528009 en 90000000000013009 Morphological change in endometrium due to intrauterine contraceptive device 90000000000448009 3499617014 2017-07-31 00:00:00.0 0 900000000000207008 733528009 en 90000000000003001 Morphological change in endometrium due to intrauterine contraceptive device (finding) 90000000000448009 3499618016 2017-07-31 00:00:00.0 0 900000000000207008 733529001 en 90000000000013009 Reactive cellular changes due to intrauterine contraceptive device 90000000000448009 3499619012 2017-07-31 00:00:00.0 0 900000000000207008 733529001 en 90000000000003001 Reactive cellular changes due to intrauterine contraceptive device (finding) 90000000000448009  RESOLVED: Ticket closed as already resolved in <del>ISRS-189</del> and <del>ISRS-184</del>	2017-Jun-05
----------	----------------------------	--	-------------

ISRS-188	Born inactive language reference set records	Several inactive language reference set records have been published as inactive, but never been published before:  85d31301-45a6-4344-a28e-1c357975dd62 2017-07-31 00:00:00.0 0 900000000000207008 9000000000000508004 3499616017 900000000000548007 c1e2364a-9413-4e70-aaa1-9abe62165a2b 2017-07-31 00:00:00.0 0 900000000000207008 9000000000000509007 3499616017 900000000000548007 e97fc6fd-68de-451b-b7c2-fdab05db4d00 2017-07-31 00:00:00.0 0 900000000000207008 9000000000000508004 3499619012 900000000000548007 f3814870-ee80-459d-bdb6-310688626fa5 2017-07-31 00:00:00.0 0 900000000000207008 9000000000000508004 3499617014 900000000000548007 fd8a80da-a79a-4f9f-bf93-378657935e85 2017-07-31 00:00:00.0 0 900000000000207008 9000000000000509007 3499617014 900000000000548007 1575a4c0-b70f-4267-81cf-47f44dfad066 2017-07-31 00:00:00.0 0 900000000000207008 9000000000000509007 900000000000548007 2168b9f2-6ab3-4911-b14d-01d20c08e3d7 2017-07-31 00:00:00.0 0 900000000000207008 9000000000000508004 3499618016 900000000000548007 65ae52bb-ed7f-4df1-8d5a-55388ffb223b 2017-07-31 00:00:00.0 0 900000000000207008 9000000000000509007 3499619012 900000000000548007  RESOLUTION: Born inactive members already removed in TPFIX-16	2017-Jun-05
----------	--	---	-------------

ISRS-189	RefsetDescriptor queries	There's a whole bunch of stuff in the Descriptor refset that I'm not sure about, from a content perspective... (not necessarily defects).  · looks like descriptor entries have been created for all the "refset patterns"? 447250001 Complex map type reference set (foundation metadata concept) , 446609009 Simple type reference set (foundation metadata concept) ,	2017-Jun-02
----------	--------------------------	--	-------------

447258008|Ordered type reference set (foundation metadata concept)|  
and more. I don't think actual reference sets even exist for some? Though perhaps this is a technical decision. Just not something I was expecting.  
· I can guess at the intent here, just not something I was expecting.

RESOLUTION: Reporter happy with the level of information provided in the Release Notes to explain all of this, therefore ticket closed accordingly.

ISRS-190	Attributes using the attribute 371881003 During	<p>Several attributes using the attribute 371881003 During  - I've found some working documents and ECE stuff, but nothing official? Though I saw it mentioned in the MRCM refsets, so I assume it's now permissible and updated editorial rules will come out in July? (Once confirmed I'll update our checks)</p> <p>6967032028 2017-07-31 00:00:00.0 1 900000000000207008 10561000087108 387713003 0 371881003 90000000000011006 900000000000451002 6967036025 2017-07-31 00:00:00.0 1 900000000000207008 10581000087102 387713003 0 371881003 90000000000011006 900000000000451002 6967040023 2017-07-31 00:00:00.0 1 900000000000207008 10661000087107 387713003 0 371881003 90000000000011006 900000000000451002 6967045029 2017-07-31 00:00:00.0 1 900000000000207008 10701000087104 387713003 0 371881003 90000000000011006 900000000000451002 6967048027 2017-07-31 00:00:00.0 1 900000000000207008 10901000087102 387713003 0 371881003 90000000000011006 900000000000451002 6967050024 2017-07-31 00:00:00.0 1 900000000000207008 11051000087106 387713003 0 371881003 90000000000011006 900000000000451002 6993353020 2017-07-31 00:00:00.0 1 900000000000207008 242991000 71388002 0 371881003 90000000000011006 900000000000451002 6993354025 2017-07-31 00:00:00.0 1 900000000000207008 242992007 71388002 0 371881003 90000000000011006 900000000000451002 6993356028 2017-07-31 00:00:00.0 1 900000000000207008 242993002 71388002 0 371881003 90000000000011006 900000000000451002 6993368021 2017-07-31 00:00:00.0 1 900000000000207008 269769006 71388002 0 371881003 90000000000011006 900000000000451002 6993551023 2017-07-31 00:00:00.0 1 900000000000207008 714381001 71388002 0 371881003 90000000000011006 900000000000451002 6993552027 2017-07-31 00:00:00.0 1 900000000000207008 714386006 71388002 0 371881003 90000000000011006 900000000000451002 6994092028 2017-07-31 00:00:00.0 1 900000000000207008 733041001 71388002 0 371881003 90000000000011006 900000000000451002]</p> <p>RESOLUTION: Explanation of new attribute added to the Release Notes (section 2.3.5) to ensure those not reading the Editorial Guide updates are made aware of the changes.</p>	2019-Jun-20
ISRS-191	Query on the use of new attributes	<p>There are 17,000 relationships for product concepts that use attributes, not in the documented model. Again, these seem to be in the MRCM – so might be fine. However, as far as I was aware, none of these had actually been approved? Though that could be a misunderstanding on my side... However, the draft circulated has been changed since the April meeting, so still seems like a work in progress?</p> <p>RESOLVED: Requester agreed that the level of information in the Release Notes covered the required updates to NRC systems, and so this ticket was closed without any action required.</p>	2017-Jun-05
ISRS-193	Concepts using invalid surgical procedure attributes	<p>There's 6 concepts that use the surgical approach attribute, are not permitted to. They are not "surgical procedures". From the EG - 6.2.2.13 SURGICAL APPROACH - "The domain for   SURGICAL APPROACH   is descendants of   Surgical procedure (procedure)   387713003". The MRCM refset supports this too.</p> <p>These are all embolization procedures, for which we encountered the exact same problem. Part of the problem is that "What is a surgical procedure". The EG (6.2.5.1) gives a definition "A surgical procedure is defined as a procedure that involves intentional non-transient alteration of structures of the body, and/or a procedure that necessarily involves cutting into the body." – Not entirely sure what that means. The next sentence says "From a practical standpoint, this definition is implemented to include all procedures defined by the METHOD attribute with a value of any action that is listed under surgical action." Our solution was to add 129335008 Embolization - action (qualifier value)  as a sub type 129284003 Surgical action (qualifier value) . We considered a new action "surgical embolisation", but that seems odd "chemoembolisation". And just about every reference described these procedures as (minimally invasive) surgical. It worked and we didn't violate the concept model. (though did change the stated relationship for a core concept...)</p> <p>428563002 Stent assisted embolization of aneurysm using transluminal coil (procedure) - no new changes this release, existing issue, needs review and remodelling - CRS 428565009 Balloon assisted embolization of aneurysm using transluminal coil (procedure) - no new changes this release, existing issue, needs review and remodelling - CRS 429062005 Embolization of aneurysm using transluminal coil (procedure) - this is new this release and I believe could be remodelled under surgical procedure so the attribute would be allowed. - MRCM rule? 448396008 Transarterial embolization (procedure) 448603000 Transarterial embolization of abdominal artery (procedure) 710285001 Transarterial chemoembolization using fluoroscopic guidance (procedure)</p>	2017-Jun-02

RESOLUTION: Already resolved as part of the fix for [ISRS-182](#) - this ticket therefore closed with no action required.

ISRS-194	Redundant entry in the refsetDescriptor file	<p>There's a redundant entry in the descriptor for the lateralisable refset.</p> <p>bbdcc9fc-5bc6-415a-a5ee-c5adfc569bd5 2017-01-31 00:00:00 1 900000000000207008 900000000000456007 723264001 449608002 900000000000461009 0 31919d48-e54b-4993-abe1-9c2fa9568d78 2017-07-31 00:00:00 1 900000000000207008 900000000000456007 723264001 449608002 900000000000461009 0</p> <p>RESOLUTION: Redundant record (31919d48-e54b-4993-abe1-9c2fa9568d78) removed accordingly.</p>	2019-Jun-20
ISRS-195	Invalid CTV3 map records	<p>The CTV3 map includes 7 invalid entries (same 7 description Ids described before).</p> <p>id refsetId referencedComponentId 9f652ba8-c4ca-49f1-90f8-8138e27beded 900000000000497000 3446016018 a105309b-06da-44e6-9884-7aa86992f511 900000000000497000 3446018017 a1f400d0-bca7-454d-a37d-b503927b0078 900000000000497000 3446013014 a86b5b16-cd16-448e-8cf1-54d7bd0e8ac2 900000000000497000 3446015019 d82ce717-b99d-4586-bc59-e15c7fc4d5dd 900000000000497000 3446017010 53c15d4f-e988-434a-baa5-e785b7ca5305 900000000000497000 3446012016 74d45743-767e-4bb7-9036-570a08b04b10 900000000000497000 3446014015</p> <p>RESOLUTION: Seven invalid records removed accordingly.</p>	2019-Jun-20
ISRS-196	Attribute description not found within correct hierarchy	<p>Attribute description not found within correct hierarchy. Attribute descriptions are expected to be subtypes of 900000000000457003 ("Reference set attribute"). The following two records contain values outside this hierarchy:-</p> <p>de0f4894-9aff-4d5c-8702-60eeb33b7a96 410662002 Concept model attribute (attribute) 2d1ccbfb-bf08-4740-a80e-44fe774c5a2d 900000000000444006 Definition status (core metadata concept)</p> <p>RESOLUTION: Offending refsetDescriptor records removed accordingly.</p>	2019-Jun-20
ISRS-197	refsetDescriptor record with inactive referencedComponentID	<p>Record 662b1db8-4b23-4dd1-8bf6-3964f99fe77e contains an inactive referenced component (447564002).</p> <p>RESOLUTION: The refsetDescriptor record for the reference set 447564002 has now been inactivated accordingly.</p>	2019-Jun-20
ISRS-198	Concept has no active FSN within its module	<p>Concept 411116001 is a member of module 90000000000012004 ("SNOMED CT model component module"), while its only active FSN, 3495166019, is in module 900000000000207008 ("SNOMED CT core module").</p> <p>RESOLUTION: FSN (3495166019) and synonym (3495165015) have both been moved to 90000000000012004 ("SNOMED CT model component module") accordingly.</p>	2019-Jun-20
ISRS-199	Concepts have no active synonyms within their modules	<p>These four concepts lack any active synonyms:</p> <p>326342007 377389001 377416002 377417006</p> <p>Note that all four of these concepts are inactive.</p> <p>RESOLUTION: SNOMED International Content Team confirmed that these are inactive concepts so therefore adding new synonyms is not the correct approach. Therefore no action is required in this case.</p>	2019-Jun-20
ISRS-200	Changes to caseSignificance ID's	<p>Descriptions which have had their case significance ids altered to 900000000000448009 ("Entire term case insensitive") for this release.</p> <p>RESOLUTION: UKTC confirmed that this issue was with the QA test rather than the content - this is therefore not a valid issue and so has been closed down without action required.</p>	2017-Jun-01
ISRS-201	Namespace ID required for July 2017	<p>New namespace added for upcoming October 2017 Spanish Edition release, resolved in TPFIX-25</p> <p>RESOLUTION: New namespace (734535006) created as planned.</p>	2019-Jun-20
ISRS-202	RVF Assertion failure: eff30fb0-7856-11e1-b0c4-0800200c9a66	<p>"assertionUuid": "eff30fb0-7856-11e1-b0c4-0800200c9a66", "assertionText": "All language refset members inactivated in current snapshot must have been active in the previous release.", "queryInMilliseconds": 60635, "failureCount": 12, "firstNInstances": [  { "conceptId": "648501000124118", "detail": "Language Refset: id=800c4ddb-54c1-47ec-af2e-0816b797c616 is inactive but no active state found in previous release." }  ]</p>	2017-Jun-02



```

{ "conceptId": "648391000124116", "detail": "Language Refset: id=8146604c-2d6e-4a3f-a25a-191e4f3b0945
is inactive but no active state found in previous release." }

,

{ "conceptId": "648361000124112", "detail": "Language Refset: id=81b10a87-2ab5-41b0-b89f-e2ac70babfd8
is inactive but no active state found in previous release." }

,

{ "conceptId": "638911000124112", "detail": "Language Refset: id=9b7f61d6-04f1-4b89-8ba4-79aa7bb0e401
is inactive but no active state found in previous release." }

,

{ "conceptId": "648571000124112", "detail": "Language Refset: id=bace38c7-afbf-4448-aeeb-84b184f53a4f
is inactive but no active state found in previous release." }

,

{ "conceptId": "648501000124118", "detail": "Language Refset: id=ce266e08-6be8-4fad-97ee-b4c53ad5867f
is inactive but no active state found in previous release." }

,

{ "conceptId": "638911000124112", "detail": "Language Refset: id=07e5cf11-9088-40cd-97e2-d1c7bf178e3d
is inactive but no active state found in previous release." }

,

{ "conceptId": "648571000124112", "detail": "Language Refset: id=21aa1482-1a05-4852-8730-079ff2b37177
is inactive but no active state found in previous release." }

,

{ "conceptId": "648331000124115", "detail": "Language Refset: id=28606ec3-edbc-4f73-953f-098f7fc15708
is inactive but no active state found in previous release." }

,

{ "conceptId": "648361000124112", "detail": "Language Refset: id=3a671dec-8667-49e1-8a65-
c867feb76e97 is inactive but no active state found in previous release." }

,

{ "conceptId": "648391000124116", "detail": "Language Refset: id=44adb6e9-5ea0-41fa-8fb9-2f3d59698169
is inactive but no active state found in previous release." }

,

{ "conceptId": "648331000124115", "detail": "Language Refset: id=619326a5-7a54-476e-b52a-
d4915fc0d6e3 is inactive but no active state found in previous release." }

],

```

RESOLUTION: This is just a warning and not an error and so no action is required.

ISRS-203	RVF Assertion failure: 2b193a88-8dab-4d19-b995-b556ed59398d	"assertionUuid": "2b193a88-8dab-4d19-b995-b556ed59398d", "assertionText": "New inactive states follow active states in the DESCRIPTION snapshot.", "queryInMilliseconds": 33619, "failureCount": 6, "firstNInstances": [  { "conceptId": "435801000124108", "detail": "DESCRIPTION: id=638911000124112 is inactive but no active state found in the previous snapshot." }  ,  { "conceptId": "439021000124105", "detail": "DESCRIPTION: id=648331000124115 is inactive but no active state found in the previous snapshot." }  ,  { "conceptId": "439031000124108", "detail": "DESCRIPTION: id=648361000124112 is inactive but no active state found in the previous snapshot." }  ,  { "conceptId": "439041000124103", "detail": "DESCRIPTION: id=648391000124116 is inactive but no active state found in the previous snapshot." }  ,	2019-Jun-20
----------	--	--	-------------



{ "conceptId": "439081000124109", "detail": "DESCRIPTION: id=648501000124118 is inactive but no active state found in the previous snapshot." }

,

{ "conceptId": "439101000124101", "detail": "DESCRIPTION: id=648571000124112 is inactive but no active state found in the previous snapshot." }

RESOLUTION: The six born inactive Descriptions above have been removed accordingly.

ISRS-204	<a href="#">RVF Assertion failure: 4478a896-2724-4417-8bce-8986ecc53c4e</a>	<p>"assertionUuid": "4478a896-2724-4417-8bce-8986ecc53c4e", "assertionText": "There must be actual changes made to previously published concepts in order for them to appear in the current delta.", "queryInMilliseconds": 6660, "failureCount": 1, "firstNInstances": [</p> <p>{ "conceptId": "448396008", "detail": "Concept: id=448396008 is in the delta file, but no actual changes made since the previous release." }</p> <p>RESOLUTION: Concept removed from the Delta file accordingly.</p>	2019-Jun-20
ISRS-205	<a href="#">New record in Concept delta for existing component with no changes</a>	<p>Concept 448396008 experienced issues with the branch problem during the Alpha feedback period - when it was fixed in the Alpha the termServer believed it to be new and so added another active record to the delta, thus corrupting the Full and Snapshot files.</p> <p>RESOLUTION: Resolved as part of <a href="#">ISRS-204</a></p>	2019-Jun-20
ISRS-207	<a href="#">One description has a full stop at the end</a>	<p>There's still one description that might be text definition? Though it's the presence of a period/full stop at the end of the description (which is unusual) is what's causing the fail.</p> <p>718089001 3311128017 2017-07-31 00:00:00 Post extubation acute respiratory failure requiring reintubation.</p> <p>RESOLUTION: Description inactivated, as turned out to be a duplicate.</p>	2019-Jun-20
ISRS-208	<a href="#">Attribute Value Snapshot record is outdated by record in full file</a>	<p>Possibly inconsequential. Members of refset 900000000000490003 ("Description inactivation indicator attribute value reference set") for which a more recent record in the Full release expresses the same relationship (but with a different id). Note that the members in question are inactive: the QA is objecting to the same relationship appearing with two different ids.</p> <p>RESOLUTION: Four invalid AttributeValue records removed, plus four valid records re-activated for July 2017:</p> <p>Removed:</p> <p>6937d3ce-9b92-46a5-915c-105ef53a85a3 20170731 1 900000000000207008 900000000000490003 350608017 900000000000495008 2b1419fb-6396-4d96-b67a-bf3404e4e24f 20170731 1 900000000000207008 900000000000490003 377741012 900000000000495008 55c7c001-05d3-4476-b0c2-29205a0387d8 20170731 1 900000000000207008 900000000000490003 2737731017 900000000000495008 78e492ae-9b4f-4da5-9ebb-a37f8eb70ee1 20170731 1 900000000000207008 900000000000490003 622260016 900000000000495008</p> <p>Re-activated:</p> <p>ff7de500-472d-5380-930e-b5ddfb184d98 1 900000000000207008 900000000000490003 377741012 900000000000495008 7f442764-3b09-5827-9629-81c0407c828b 1 900000000000207008 900000000000490003 350608017 900000000000495008 12a081ef-baf8-5a46-b93d-a4c9de998790 1 900000000000207008 900000000000490003 622260016 900000000000495008 66e03cc0-51fd-535c-907a-5761cd1d2e36 1 900000000000207008 900000000000490003 2737731017 900000000000495008</p>	2019-Jun-20
ISRS-210	<a href="#">MRCM Cardinality constraint failure - mandatory 'attributeInGroupCardinality' of 0..1</a>	<p>The 363714003 [Interprets] attribute has a mandatory 'attributeInGroupCardinality' of 0..1. However, the concept 724758000 [Manic symptoms co-occurrent and due to primary psychotic disorder (disorder)] - with an effectiveTime of 20170731 - has 3 x 363714003 [Interprets] relationships in the same relationship group (Role group 3). This therefore breaks the concept model rule.</p> <p>RESOLUTION: Three extraneous Stated relationships removed and re-classified to resolve the errors.</p>	2019-Jun-20
ISRS-211	<a href="#">MRCM Cardinality</a>		2019-Jun-20

	constraint failure - concept model states all new precoordinate d content must have at most 1 x 363698007  Finding site  relationship in any relationship group	<p>The concept model states that all NEW precoordinated content must have at most 1 x 363698007  Finding site  relationship in any relationship group (where relationshipGroup &gt; 0). However, several concepts break this rule.</p> <p>RESOLUTION: The MRCM validation rule was proven to require refinement, in order to restrict it to the Stated view rather than Inferred. This has now been implemented and is now producing just 3 failures. The SNOMED International Content Team have therefore re-modelled the following 3 concepts:</p> <ul style="list-style-type: none"> <li>• 15665401000119102</li> <li>• 15665361000119106</li> <li>• 15665321000119101</li> </ul> <p>The related born-inactive components created by this re-modelling after Versioning the content have also been removed.</p>	
ISRS-213	MRCM Cardinality constraint failure - concept model states all new precoordinate d content must have at most 1 x 116676008  Associated morphology  in any relationship group (where relationshipGroup > 0)	<p>The concept model states that all NEW precoordinated content must have at most 1 x 116676008  Associated morphology  in any relationship group (where relationshipGroup &gt; 0). However several concepts appeared to contravene this rule:</p> <p>RESOLUTION: The MRCM validation rule was proven to require refinement, in order to restrict it to the Stated view rather than Inferred. This has now been implemented and is now producing no failures. This ticket has therefore been closed down with no action required.</p>	2017-Jun-20
ISRS-214	MRCM Domain constraint failure -	<p>The domain of 405815000  Procedure device  is &lt;&lt; 71388002  Procedure . However, there are 3 concepts, which are &lt;&lt; 363787002  Observable entity , which have an attribute that is a descendant of  Procedure device  (namely 424226004  Using device ). This is valid, from a content perspective - however the MRCM rules are incorrect. The reason for this is that domain constraints are inherited by an attribute's children. And since 424226004  Using device  has recently been added to the  Observable entity  domain, this should have also been added to the domain of the parent attribute (ie 405815000  Procedure device ).</p> <p>RESOLUTION: 1 new row (row 103) has been added to the 'Attribute domain' refset for the Member Release. This has also updated the 'attributeRule' value in row 57 of 'Attribute range' refset.</p>	2019-Jun-20
ISRS-215	Duplicate description found	<p>734059009 Intraductal papillary neoplasm with high-grade intraepithelial neoplasia (morphologic abnormality)</p> <p>3482536011 20170731 1 9000000000000207008 734059009 en 900000000000003001 Intraductal papillary neoplasm with high-grade intraepithelial neoplasia (morphologic abnormality) 900000000000448009 3482537019 20170731 1 9000000000000207008 734059009 en 9000000000000013009 Intraductal papillary neoplasm with high-grade intraepithelial neoplasia 900000000000448009</p> <p>734133009 Intraductal papillary neoplasm with high grade intraepithelial neoplasia (morphologic abnormality)</p> <p>3483018012 20170731 1 9000000000000207008 734133009 en 900000000000003001 Intraductal papillary neoplasm with high grade intraepithelial neoplasia (morphologic abnormality) 900000000000448009 3483019016 20170731 1 9000000000000207008 734133009 en 9000000000000013009 Intraductal papillary neoplasm with high grade intraepithelial neoplasia 900000000000448009</p> <p>RESOLUTION: SNOMED International Content team have resolved this for the July 2017 Member release, by removing duplicate Concept 734059009.</p>	2019-Jun-20
ISRS-216	Fix RVF assertion error 89ceaf00-79b9-11e1-b0c4-0800200c9a66	<p><a href="https://rvf.ihtsdotools.org/api/v1/result/1497864338295?storageLocation=international/snomed_ct_international_edition_july_2017_beta_release_package/2017-06-19T08:48:47">https://rvf.ihtsdotools.org/api/v1/result/1497864338295?storageLocation=international/snomed_ct_international_edition_july_2017_beta_release_package/2017-06-19T08:48:47</a></p> <p>testCategory: "release-type-validation", assertionUuid: "89ceaf00-79b9-11e1-b0c4-0800200c9a66", assertionText: "All stated relationships inactivated in current release must have been active in the previous release.",</p> <p>Delete the following 3 born inactive stated relationships:</p> <p>id effectiveTime active moduleId sourceId destinationId relationshipGroup typeId characteristicType modifierId 6905147028 20170731 0 9000000000000207008 724758000 285854004 1 363714003 900000000000010007 9000000000000451002</p>	2019-Jun-20

6905148022 20170731 0 900000000000207008 724758000 247774004 1 363714003  
90000000000010007 900000000000451002  
6905149025 20170731 0 900000000000207008 724758000 3850002 1 363714003 90000000000010007  
900000000000451002

Note: This is the result of [ISRS-240](#) fixes.

RESOLUTION: 3 Born inactive Stated Relationships removed for the July 2017 Member release.

ISRS-217	Potential equivalency	<p>A change in the mapping history of 121161000000105   Chickenpox vaccination. Unsure of the main cause of this but looks like it needs to be reviewed by SNOMED International. It is marked as a duplicate to 68525005   Varicella vaccination (procedure) this has now been made duplicate to 722215002   Administration of herpes zoster vaccine. However, I think this is incorrect and should be mapped to one of its child concepts 571611000119101   Administration of varicella live vaccine (procedure). Researching this, the herpes zoster vaccine is a slightly different vaccine to the varicella vaccine.</p> <p>RESOLUTION: SNOMED International Content team have resolved this for the July 2017 Member release, by amending the mapping to 571611000119101</p>	2019-Jun-20
----------	-----------------------	---	-------------

ISRS-219	Delete born inactive stated relationships after ISRS-211 fix	<p>RVF failed several Stated Relationships which have been born inactive in July 2017:</p> <p>"assertionText": "All stated relationships inactivated in current release must have been active in the previous release.",</p> <p>"failureCount": 12,</p> <p>"firstNInstances":</p> <pre>{["conceptId": "15665361000119106", "detail": "Stated relationship: id=6807693029 is inactive in the current release but no active state found in the previous snapshot."], ["conceptId": "15665361000119106", "detail": "Stated relationship: id=6807695020 is inactive in the current release but no active state found in the previous snapshot."], ["conceptId": "15665361000119106", "detail": "Stated relationship: id=6807696021 is inactive in the current release but no active state found in the previous snapshot."], ["conceptId": "15665321000119101", "detail": "Stated relationship: id=6807707026 is inactive in the current release but no active state found in the previous snapshot."], ["conceptId": "15665321000119101", "detail": "Stated relationship: id=6807709028 is inactive in the current release but no active state found in the previous snapshot."], ["conceptId": "15665321000119101", "detail": "Stated relationship: id=6807710022 is inactive in the current release but no active state found in the previous snapshot."], ["conceptId": "15665401000119102", "detail": "Stated relationship: id=6807712025 is inactive in the current release but no active state found in the previous snapshot."], ["conceptId": "15665401000119102", "detail": "Stated relationship: id=6807714029 is inactive in the current release but no active state found in the previous snapshot."], ["conceptId": "15665401000119102", "detail": "Stated relationship: id=6807715028 is inactive in the current release but no active state found in the previous snapshot."], ["conceptId": "15665401000119102", "detail": "Stated relationship: id=6807716027 is inactive in the current release but no active state found in the previous snapshot."], ["conceptId": "15665401000119102", "detail": "Stated relationship: id=6807718026 is inactive in the current release but no active state found in the previous snapshot."], ["conceptId": "15665401000119102", "detail": "Stated relationship: id=6807719023 is inactive in the current release but no active state found in the previous snapshot."]}</pre> <p>RESOLUTION: All born inactive Stated relationships removed from the July 2017 International Edition accordingly.</p>	2019-Jun-20
----------	--	---	-------------

ISRS-221	Retired concepts must have a historical relationship of the appropriate type (RF1)	<p>Retired concepts must have a historical relationship of the appropriate type (unless their concept status is 1 or 3)</p> <p>RESOLUTION: The majority of these issues were proven by the SNOMED International Content team to be valid, with the root cause being invalid QA routines. One historical association (for concept 192203002) was proven to be invalid, and has now been amended accordingly for the July 2017 Member release.</p>	2019-Jun-20
----------	--	--	-------------

ISRS-222	Concepts with multiple historical relationships (RF1)	Concepts may not have more than one historical relationship (except MAY_BE_As, MOVED_TOs OR WAS_As). The following concepts have all come through RF2 to RF1 conversion with more than the expected number of historical relationships attached to them:	2019-Jun-20
----------	---	--	-------------

RULEID	SCTID	DETAILS	TERMLIST
43	266705004	2 historical relationships	266705004: Preoperative/postoperative procedures (procedure)
43	287103000	3 historical relationships	287103000: Open wound of chest/back/buttock (disorder)
43	231035007	2 historical relationships	231035007: Destruction of spinal nerve root or ganglion (procedure)
43	1931570	2 historical	193157005: Hereditary and idiopathic peripheral neuropathy

	05	relationships	(disorder)
43	397967003	2 historical relationships	397967003: Thermal/explosive injury (disorder)
43	157379003	3 historical relationships	157379003: Open wound of chest/back/buttock (disorder)

This may be another RF2 to RF1 conversion issue, rather than any problem with the RF2 source.

RESOLUTION: All concepts changed to have AssociationReference refsetId equal to "POSSIBLY EQUIVALENT TO", and their AttributeValue valueId equal to "AMBIGUOUS"

ISRS-223

Active concepts with invalid historical relationships (RF1)

Historical relationships must belong to concepts of appropriate status. Three active concepts have come through conversion with odd historical relationships attached:

2019-Jun-20

R U L E ID	SCT ID	DETAILS	TERMLIST
44	6599212024	422221005 (status 1); attribute 168666000	422221005: Bacterial infection caused by Klebsiella mobilis (disorder) 168666000: SAME AS (attribute)
44	6599690022	1541000119106 (status 1); attribute 149016008	1541000119106: Skin ulcer associated with type II diabetes mellitus (disorder) 149016008: MAY BE A (attribute)
44	6599629026	192203002 (status 10); attribute 149016008	192203002: [X] (Unspecified organic personality and behavioural disorder due to brain disease, damage and dysfunction) or (organic psychosyndrome) (disorder) 149016008: MAY BE A (attribute)

These may be odd entries in the RF2 reference sets or another group of RF2 to RF1 conversion issues.

RESOLUTION: Concepts inactivated, plus historical associations corrected.

ISRS-226

Concepts not inheriting the necessary attribute from the parent concept

Children of concepts with the "Has active ingredient" attribute must also have that attribute. The following concepts are not inheriting the necessary attribute from the parent concept:

2017-Jun-21

R U L E ID	SCTID	DETAILS	TERMLIST
107	316943005	Parent: 423714001	316943005: Compound magnesium trisilicate 250 mg tablet (product) 423714001: Aluminum hydroxide + magnesium trisilicate (product)
107	326342007	Parent: 412256008	326342007: Ethinylestradiol+norethisterone 35micrograms/1mg tablet (product) 412256008: Product containing ethinyl estradiol and norethisterone (medicinal product)
107	329167003	Parent: 421178007	329167003: Calcium compound 400mg effervescent tablet (product) 421178007: Calcium carbonate + calcium lactate gluconate (product)
107	329168008	Parent: 421178007	329168008: Calcium compound 1000mg effervescent tablet (product) 421178007: Calcium carbonate + calcium lactate gluconate (product)
107	329297004	Parent: 424828009	329297004: Vitamin B compound tablet (product) 424828009: Niacinamide+riboflavine+thiamine (product)
107	347900004	Parent: 421774002	347900004: Sodium chloride 1.5% compound mouthwash (product) 421774002: Sodium bicarbonate + sodium chloride (product)

RESOLUTION: UKTC confirmed that after further investigation this issue was specific to the UK extension, and therefore requires no action for the International Edition. Issue therefore closed without action.

ISRS-227

Unknown FSN postfix values occurring as children of other FSN postfix values

Postfix metamodel rule: Only known FSN postfix values may occur as children of other FSN postfix values. The table below gives the issues from the International content. In the details column the child is the first code and the parent the second.

2019-Jun-20

R U L E ID	SCT ID	DETAILS	TERMLIST	
187	677701000119	677701000119107 (finding) : 75971007	677701000119107: Subretinal neovascularization of right eye (finding)	Removed 3330639017 Added new FSN with semantic tag (disorder) Removed parent 6984966024; replaced

	107	(disorder)	75971007: Choroidal retinal neovascularization (disorder)	with new IS A = disorder
1 87	1621 9201 0001 19101	16219201000 119101 (finding) : 26929004 (disorder)	16219201000119101: Behavioral disturbance co- occurent and due to late onset Alzheimers dementia (finding) 26929004: Alzheimer's disease (disorder)	Removed 3447208014 3447209018 and 3447210011 replaced with new FSN (disorder) and 2 new synonyms.
1 87	7334 65009	733465009 (substance) : 14103001 (product)	733465009: Naldemedine (substance) 14103001: Opiate antagonist (product)	Removed IS A - Opiate antagonist (product) 6996256024 and replaced with IS A = Opiate agonist (substance)
1 87	7333 42000	733342000 (finding) : 609411003 (disorder)	733342000: Ischemic contracture of kidney (finding) 609411003: Traumatic and/or non-traumatic injury of anatomical site (disorder)	No action required as new FSN (disorder) will correct this inference.
1 87	6776 7100 0119 106	67767100011 9106 (finding) : 75971007 (disorder)	677671000119106: Subretinal neovascularization of left eye (finding) 75971007: Choroidal retinal neovascularization (disorder)	Removed 3326522013 replaced with new FSN (disorder)
1 87	4190 6002	41906002 (finding) : 118940003 (disorder)	41906002: Drug withdrawal seizure (finding) 118940003: Disorder of nervous system (disorder)	No action required:118940003: Disorder of nervous system (disorder) will go away as it is inferred from IS A = drug withdrawal which has been removed.
1 87	4190 6002	41906002 (finding) : 363101005 (disorder)	41906002: Drug withdrawal seizure (finding) 363101005: Drug withdrawal (disorder)	Removed IS A = Drug withdrawal 6904370024
1 87	7333 42000	733342000 (finding) : 709978007 (disorder)	733342000: Ischemic contracture of kidney (finding) 709978007: Contracted kidney (disorder)	Removed 3499255013 FSN (finding) replaced with 3512941013 FSN (disorder)

RESOLUTION: All relevant descriptions and Stated Relationship amended as per the noted in the table above.

ISRS- 228	Delete 9 born inactive historical associations	RVF failure:  "assertionText": "New inactive states follow active states in the ASSOCIATION REFSET snapshot file.",  "failureCount": 9,  "firstNInstances":  [{"conceptId": "157379003", "detail": "ASSOC RS: id=a0e20ebe-a5dc-4cb6-a226-a3b4441b0dc8 is inactive but no active state found in the previous release."}, {"conceptId": "157379003", "detail": "ASSOC RS: id=c03e2672-3d0e-4e5a-b61e-d43021b90810 is inactive but no active state found in the previous release."}, {"conceptId": "287103000", "detail": "ASSOC RS: id=d4f62913-bdbb-467c-811f-0f8250a7661d is inactive but no active state found in the previous release."}, {"conceptId": "157379003", "detail": "ASSOC RS: id=df96b92e-76b1-42f3-aa6f-01e3a9a8c0eb is inactive but no active state found in the previous release."}, {"conceptId": "413138007", "detail": "ASSOC RS: id=e806ed49-531d-41ed-bebf-2ec69995b0aa is inactive but no active state found in the previous release."}, {"conceptId": "287103000", "detail": "ASSOC RS: id=fc1cc179-f30c-49f7-b1c2-954955c78c2c is inactive but no active state found in the previous release."}, {"conceptId": "397967003", "detail": "ASSOC RS: id=006bbe0f-3d34-4ca8-9b94-bf97d44ca4a1 is inactive but no active state found in the previous release."}, {"conceptId": "397967003", "detail": "ASSOC RS: id=58121ca7-6b7d-4c9a-916f-d6d70df9b7c5 is inactive but no active state found in the previous release."}, {"conceptId": "287103000", "detail": "ASSOC RS: id=65d450af-36ef-47e5-a29b-fd0c82a27a0b is inactive but no active state found in the previous release."}]  RESOLUTION: The relevant Association refset components removed accordingly.	2019-Jun-20
ISRS- 229	Fix assertion (1852b9d6- 38cf-11e7- 8b36- 3c15c2c6e32 e) validation issue	RVF failure:  "assertionText": "Previously published historical association components should not be modified.",  "failureCount": 1,  "firstNInstances":  [	2019-Jun-20

{"conceptId": "413138007","detail": "Association refset id=84eb1cc8-23b9-5112-8ad1-9a075becd413 has historical association components changed since the previous release."}

],

RESOLUTION: Association Reference record fixed as follows:

id effectiveTime active moduleId refsetId referencedComponentId targetComponentId  
84eb1cc8-23b9-5112-8ad1-9a075becd413 0 900000000000207008 900000000000527005 413138007  
68525005  
2120b5b4-5a52-11e7-8261-3c15c2c6e32e 1 900000000000207008 900000000000527005 413138007  
571611000119101

ISRS-230	MRCM regression failure - attribute group contains multiple records for the same attribute	<p>According to the attribute group rule there should not be more than one attribute per group as it is [0..1] group. This one only exists in the stated relationship but not in the inferred view:</p> <p>id effectiveTime active moduleId sourceId destinationId relationshipGroup typeId characteristicType modifierId</p> <p>[4428858023 tel:(442)%20885-8023] 20090131 1 900000000000207008 438595008 417992006 1 118168003 90000000000010007 900000000000451002</p> <p>7111885023 20170731 1 900000000000207008 438595008 367643001 1 118168003 90000000000010007 900000000000451002</p> <p>RESOLUTION: Stated Relationship inactivated as follows, to leave only 1 relationships in the group:</p> <p>4428858023 20170731 0 900000000000207008 438595008 417992006 1 118168003 90000000000010007 900000000000451002</p>	2019-Jun-20
ISRS-231	3 MRCM failures for multiple Stated Relationship records per group	<p>The following 3 born inactive Stated Relationship records have failed the MRCM tests:</p> <p>id effectiveTime active moduleId sourceId destinationId relationshipGroup typeId characteristicType modifierId</p> <p>6937579029 20170731 1 900000000000207008 1542009 371520008 2 116676008 90000000000010007 900000000000451002</p> <p>6937585020 20170731 1 900000000000207008 18735004 371520008 2 116676008 90000000000010007 900000000000451002</p> <p>6937613027 20170731 1 900000000000207008 72951007 371520008 1 116676008 90000000000010007 900000000000451002</p> <p>RESOLUTION: The three Stated Relationship records in question were removed by the SNOMED International Content team.</p>	2019-Jun-20
ISRS-254	Issue found with new Stated Relationship	<p>SNOMED International's continuous Content quality review identified a change within the terminology that requires wider consideration - namely the addition of the following Stated Relationship:</p> <p>6842860029 20170731 1 900000000000207008 80400009 3898006 0 116680003 90000000000010007 900000000000451002</p> <p>RESOLUTION: This Stated relationship and the related Inferred relationships have therefore been removed pending further review, to ensure that the impact of this change within the hierarchy is fully communicated with appropriate consultation with the wider community of practice.</p>	2019-Jun-20
ISRS-255	RVF Assertion failure: 89ceaf00-79b9-11e1-b0c4-0800200c9a66	<p>"assertionUuid": "89ceaf00-79b9-11e1-b0c4-0800200c9a66",</p> <p>"assertionText": "All stated relationships inactivated in current release must have been active in the previous release.",</p> <p>"failureCount": 1,</p> <p>"firstInstances": [{"conceptId": "80400009","detail": "Stated relationship: id=6842860029 is inactive in the current release but no active state found in the previous snapshot."}]</p> <p>RESOLUTION: Born Inactive record was removed accordingly.</p>	2019-Jun-20
ISRS-256	Unexpected control characters in TextDefinition records	<p>The following textDefinition records have been found to have unexpected control characters contained within the text (just before the number of degrees in each case):</p> <p>3476134011 20170731 1 900000000000207008 733525007 en 900000000000550004 Left anterior fascicular block is characterized by all of the following: Left-axis deviation with frontal QRS axis between 45° and 90°; Q wave in lead aVL; rS in inferior leads; QRS duration is 120 ms. 90000000000017005</p> <p>3476135012 20170731 1 900000000000207008 733525007 en 900000000000550004 Left anterior fascicular block is characterised by all of the following: Left-axis deviation with frontal QRS axis between 45° and 90°; Q wave in lead aVL ; rS in inferior leads; QRS duration is 120 ms. 90000000000017005</p> <p>3476139018 20170731 1 900000000000207008 733524006 en 900000000000550004 Right-axis deviation with frontal QRS axis between 90° and 180° rS in leads I and aVL and qR in inferior leads (Q waves 40 ms).; QRS duration 120 ms; Exclude other causes of right-axis deviation. 90000000000017005</p> <p>RESOLUTION: The 3 textDefinition records have been updated accordingly, to remove the special characters.</p>	2019-Jun-20

## 3.3 Technical updates

### 3.3.1 RF2 package naming convention

The naming convention of the RF2 package zip file has been improved, in order to bring it into line with the ISO8601 standard. A "Z" suffix has therefore been added to this package name (but not to internal file names), and will be added to all release package names going forward. This ensures that the time in the release package name is set in the correct context, namely UTC. In this case then, instead of the July 2017 International Edition release package being called:

- SnomedCT\_InternationalRF2\_Production\_20170731T120000.zip

It has instead been called:

- SnomedCT\_InternationalRF2\_Production\_20170731T120000Z.zip

### 3.3.2 Update to case significance assignment, in line with the RF2 specification

The incorrect assignment of case significance for descriptions has been fixed according to the RF2 specification. The issue was that the value 900000000000448009 |Entire term case insensitive| had not been used due to the data migration from RF1 and limitation of authoring tools. In fact, a majority of SNOMED CT descriptions should have been 'Entire term case insensitive'. These terms can be freely switched to lower or upper case without impact to meaning. The technical batch changes have therefore been made to the case significance value to address this issue. For full details please see the document here: [IHTSDO-950 Update of case significance assignment following the RF2 specification](#)

### 3.3.3 Addition of the MRCM Refsets to the International Edition package

The MRCM Refsets, which were published in February 2017 as a Beta release, have now been included in the International Edition Release package. The following four new files have been incorporated into the Metadata folder, which is a sub-folder of the Refset folder in the Release package:

1. der2\_ssssssRefset\_MRCMDomainDelta\_INT\_20170731.txt
2. der2\_cissccRefset\_MRCMAttributeDomainDelta\_INT\_20170731.txt
3. der2\_ssscRefset\_MRCMAttributeRangeDelta\_INT\_20170731.txt
4. der2\_cRefset\_MRCMModuleScopeDelta\_INT\_20170731.txt



### 3.3.4 Improvements to the RefsetDescriptor file

The refsetDescriptor file has been improved in order to include descriptors for the pre-defined reference set types. It also now includes refsetDescriptor records to describe the four new MRCM refsets now included in the International Edition from July 2017 onwards. Please see section 3.3.3. for further details of these refsets.

### 3.3.5 Addition of a new SEP refset to the International Edition package

This refset is being added in order both to assist with the interim solution for the Additional, non-defining Relationships, and also to enable us to further improve our Quality Assurance processes. Please see the following page for details of the proposed new Refset: [SEP maps and refset](#)

### 3.3.6 Removal of the SNOMED CT RT Identifier refset from the International Edition package

As has been communicated previously (across various forums) over the past several years, in 2009 SNOMED International's General Assembly decided that effective April 26, 2017 SNOMED International would no longer license the use of SNOMED antecedent (old) works. This decision received the clinical support of the World Association of Societies of Pathology and Laboratory Medicine, as they had identified the same risks. From April 26, 2017, therefore, SNOMED International is no longer maintaining antecedent versions of SNOMED, including SNOP, SNOMED, SNOMED II, SNOMED International (3.x), and SNOMED RT. Since both clinical science and terminology have evolved considerably since its development, the use of these older versions may involve risk to patients and safety issues.

***SNOMED International cannot be responsible for this risk, and therefore in the original announcement strongly urged users of these antecedent versions to migrate to SNOMED CT as soon as possible.***

As part of this process, the antecedent SNOMED Identifier reference set will be withdrawn and no longer be available in the International Edition release.

To provide a shared resource and a single source of truth on these antecedent issues we have assembled a set of FAQs available at our SNOMED International website here: <https://ihtsdo.freshdesk.com/support/solutions/folders/4000013539>

### 3.3.7 RF2 package format



For future reference, the RF2 package convention dictates that it contains all relevant files, regardless of whether or not there is content to be included in each particular release. Therefore, the package contains a mixture of files which contain both header rows and content data, and also files that are intentionally left blank (including only a header record). The reason that these files are not removed from the package is to draw a clear distinction between

1. ...files that have been deprecated (and therefore removed from the package completely), due to the content no longer being relevant to RF2 in this or future releases, and
2. ...files that just happen to contain no data in this particular release (and are therefore included in the package but left blank, with only a header record), but are still relevant to RF2, and could therefore potentially contain data in future releases.

This allows users to easily distinguish between files that have purposefully been removed or not, as otherwise if files in option 2 above were left out of the package it could be interpreted as an error, rather than an intentional lack of content in that release.

### 3.3.8 Early visibility of impending change in the January 2018 International edition

Please see the following page for details of all upcoming changes planned for January 2018 and beyond: [January 2020 Early Visibility Release Notices - Planned changes to upcoming SNOMED International Release packages](#)

**NOTE:** To access any of the links in the pdf document, please visit the Release Notes online here:

<https://confluence.ihtsdotools.org/display/RMT/SNOMED+CT+July+2017+International+Edition+-+SNOMED+International+Release+notes>

#### Approvals

Final Version	Date	Approver	Comments
1.00	20170629	Lesley MacNeil	Approved
1.00	20170629	Monica Harry	Approved
1.00	20170630	Donna Morgan	Approved
1.00	20170629	Rory Davidson	Approved
1.00	20170629	Jim Case	Approved

#### Draft Amendment History

Version	Date	Editor	Comments
0.1	20170510	Monica Harry	First draft for review and comment
0.2	20170517	Donna Morgan	Updated Map content
1.0	20170629	Andrew Atkinson	Final Resolved Issues and Known Issue updates after Production release finalised
1.1	20170719	Andrew Atkinson	Updated with three new resolved tickets, which were fixed in the updated Member Release package (before the Public Production release was published). Also replaced links (that were locked down in the Content repository to internal access only) with relevant wording instead, provided by Monica and Yong.