

## Brief Communications

# Development of the Gender, Sex, and Sexual Orientation ontology: Evaluation and workflow

Clair A. Kronk <sup>1</sup> and Judith W. Dexheimer<sup>1,2,3</sup>

<sup>1</sup>Department of Biomedical Informatics, University of Cincinnati College of Medicine, Cincinnati, Ohio, USA, <sup>2</sup>Division of Emergency Medicine, Cincinnati Children's Hospital Medical Center, Cincinnati, Ohio, USA, and <sup>3</sup>Department of Pediatrics, University of Cincinnati College of Medicine, Cincinnati, Ohio, USA

Corresponding Author: Clair A. Kronk, BSc, Department of Biomedical Informatics, University of Cincinnati College of Medicine, 3333 Burnet Avenue, Cincinnati, OH 45229-3026, USA; kronkcj@mail.uc.edu

Received 15 March 2020; Editorial Decision 9 April 2020; Editorial Decision 9 April 2020; Accepted 14 April 2020

### ABSTRACT

**Objective:** The study sought to create an integrated vocabulary system that addresses the lack of standardized health terminology in gender and sexual orientation.

**Materials and Methods:** We evaluated computational efficiency, coverage, query-based term tagging, randomly selected term tagging, and mappings to existing terminology systems (including ICD (International Classification of Diseases), DSM (Diagnostic and Statistical Manual of Mental Disorders), SNOMED (Systematized Nomenclature of Medicine), MeSH (Medical Subject Headings), and National Cancer Institute Thesaurus).

**Results:** We published version 2 of the Gender, Sex, and Sexual Orientation (GSSO) ontology with over 10 000 entries with definitions, a readable hierarchy system, and over 14 000 database mappings. Over 70% of terms had no mapping in any other available ontology.

**Discussion:** We created the GSSO and made it publicly available on the National Center for Biomedical Ontology BioPortal and on GitHub. It includes clarifications on over 200 slang terms, 190 pronouns with linked example usages, and over 200 nonbinary and culturally specific gender identities.

**Conclusions:** Gender and sexual orientation continue to represent crucial areas of medical practice and research with evolving terminology. The GSSO helps address this gap by providing a centralized data resource.

**Key words:** biological ontologies, gender and sexual minorities, sex, gender identity, sexual behavior

## INTRODUCTION

Gender, sex, and sexual orientation have expanded significantly as areas of research in the last 2 decades.<sup>1–3</sup> This literature features not only volume, but also heterogeneity in terminology.<sup>2,4</sup> These issues make knowledge discovery and understanding difficult without external modeling.<sup>5–7</sup> The Gender, Sex, and Sexual Orientation (GSSO) ontology was designed as a model to facilitate communication and assist in organizing this literature.<sup>8</sup> The GSSO includes more than 1400 external biomedical ontology references, 1000 definitions, and 150 fully cited reference materials. Approximately one-third of its entries are novel, having no mapping to any of the over 700 ontologies

indexed in the open biomedical ontology repository, the National Center for Biomedical Ontology (NCBO) BioPortal, in 2019.<sup>9,10</sup>

An ontology was chosen as the GSSO format to facilitate domain knowledge reuse, make analysis of that knowledge computationally efficient, and create explicitness within the domains of gender, sex, and sexual orientation.<sup>11</sup>

Since its inception, the GSSO has garnered significant interest, being in the top 5% of all ontologies visited on the NCBO BioPortal's website as of March 2020. As its use cases expand, integration and interoperability have become essential to parse and tag incoming information. Despite its size, many entries were incomplete, lacking external

linking, references, or definitions, and its original classification system was created in a more human- than machine-readable format.

To address the literature and traffic volumes, we sought to increase the ontology's scope, referencing, internal and external linking, and verification methodologies. We focused on search capabilities given the diversity and difficult in terminology matching in the fields of gender, sex, and sexual orientation.<sup>1,12-14</sup> Our goal was to improve the functionality and accessibility of the GSSO through scalable, iterative improvements.

## MATERIALS AND METHODS

### Ontology construction

The first version of the GSSO included 6250 terms covering diverse topics from abstinence to zygoty with synonyms, mappings to other ontologies, and select translations to additional non-English languages. It is available via GitHub (<https://github.com/Superraptor/GSSO>), and a demonstration website with simple search functionality was made available at our institution (<https://homepages.uc.edu/~kronkcj/gssol/>). We constructed the ontology using the Protégé software.<sup>15</sup> Despite its initial wide coverage, only 17% of initial terms included definitions and referencing, compared with about 11% of Medical Subject Headings (MeSH) terms or 77% of National Cancer Institute Thesaurus terms.<sup>10</sup>

We iteratively scoped all relevant literature for completeness.<sup>16</sup> We identified 32 seed terms from the most recent Human Rights Campaign (HRC) glossary to search titles from the 2019 release of Medline. HRC is the largest LGBTQIA+ advocacy group in the United States,<sup>17</sup> claiming more than 3 million members,<sup>18</sup> about one-third of the estimated American LGBTQIA+ population.<sup>19</sup> These search results were then used to identify the most common *n*-grams. The top 200 of 1-, 2-, 3-, 4-, and 5-grams were found and considered for addition to the GSSO. The 32 seed terms were *ally*, *androgynous*, *asexual*, *biphobia*, *bisexual*, *cisgender*, *closeted*, *coming out*, *gay*, *gender dysphoria*, *gender-expansive*, *gender expression*, *gender-fluid*, *gender identity*, *gender nonconforming*, *genderqueer*, *gender transition*, *homophobia*, *intersex*, *lesbian*, *LGBTQ*, *living openly*, *nonbinary*, *outing*, *pansexual*, *queer*, *questioning*, *same-gender loving*, *sex assigned at birth*, *sexual orientation*, *transgender*, and *transphobia*.

We searched “LGBTQ terminology” and “LGBTQ slang” on Google in August 2019, taking the first 2 pages of relevant results and adding all terms from online glossaries. “LGBTQ” was chosen as the queried initialism because of its preferred usage in current style guides.<sup>20-23</sup> We evaluated print encyclopedias and vocabularies found via Google Books, Google Scholar, and the HathiTrust Digital Library from September 2019 to January 2020. We incorporated feedback on terms from the GLBT Museum and Archives listserv and the Trans PhD Network on Facebook for additional terms and usage notes.

To complete the ontology, we parsed each of the original terms and updated them in a piecewise manner, with reclassifications based on superclass or subclass and class or individual and class or individual for computational readability. For instance, journal articles were moved to instances of “scholarly article” rather than subclasses of it to facilitate more computationally efficient queries. We added definitions and references, either a piece of literature or an external database identifier, where missing.

A full mapping was made to the second version of the Homosaurus vocabulary<sup>24</sup> and to the Library of Congress' LGBTQIA+ related vocabulary.<sup>25</sup>

**Table 1.** External database mappings from version 1 to version 2

Source	Mappings in version 1 (n = 1416)	Mappings in version 2 (n = 14 193)
ATC	NM	20 <sup>a</sup>
BFO	19	0
ChEBI	4	213 <sup>a</sup>
DO	62	193 <sup>a</sup>
DSM	NM	21 <sup>a</sup>
EFO	35	0
FMA	43	327 <sup>a</sup>
GO	32	152 <sup>a</sup>
GOLD	13	0
Homosaurus	NM	430 <sup>a</sup>
HPO	30	137 <sup>a</sup>
ICD-9-CM	30	101 <sup>a</sup>
ICD-10-CM	28	261 <sup>a</sup>
LCC	NM	527 <sup>a</sup>
LCSH	NM	749 <sup>a</sup>
MedDRA	129	595 <sup>a</sup>
MeSH	261	904 <sup>a</sup>
NCBI Taxon	11	87 <sup>a</sup>
NCIT	261	1034 <sup>a</sup>
SCTID	241	1084 <sup>a</sup>
SIO	116	3
STY	16	1
TA	3	91 <sup>a</sup>
TE	30	38
UBERON	22	169 <sup>a</sup>
Wikidata	NM	2270 <sup>a</sup>
Wikipedia	NM	4755 <sup>a</sup>

Only databases with more than 10 mappings are shown. Mappings to Wikidata and Wikipedia were made in version 1 but were not separately tabulated (they brought the total number of mappings to approximately 3300, which is still significantly less than 14 193).

ATC: Anatomical Therapeutic Chemical Classification System; BFO: Basic Formal Ontology; ChEBI: Chemical Entities of Biological Interest; DO: Disease Ontology; DSM: Diagnostic and Statistical Manual of Mental Disorders; EFO: Experimental Factor Ontology; FMA: Foundational Model of Anatomy; GO: Gene Ontology; GOLD: General Ontology for Linguistic Description; HPO: Human Phenotype Ontology; ICD-9-CM: International Classification of Diseases–Ninth Revision–Clinical Modification; ICD-10-CM: International Classification of Diseases–Tenth Revision–Clinical Modification; LCC: Library of Congress Classification; LCSH: Library of Congress Subject Headings; MeSH: Medical Subject Headings; NCBI: National Center for Biotechnology Information; NCIT: National Cancer Institute Thesaurus; NM: no mapping; SIO: Semantic Science Integrated Ontology; STY: Semantic Types Ontology; TA: Terminologia Anatomica; TE: Terminologia Embryologica.

<sup>a</sup>Significant increase.

### Preliminary ontology evaluation

We used Medline as our evaluation set to evaluate completeness of mappings. We analyzed recall and precision on chosen queries revolving around the HRC glossary terms. We tested usage with plaintext title matching, then added MeSH terms, and finally added GSSO terms.

We created 2 subgroupings of Medline for testing. The first we contained a random selection of 1 217 621 entries (of 29 138 438 [4.2%]). In the second, we preselected those entries with plaintext title/abstract matches to the HRC glossary terms.

GSSO term matching for titles and abstracts was done piecewise to decrease false positives.<sup>26,27</sup> Pronouns, stop words, and other

<pre> label [language: en] transgender person  definition [language: en] A person whose gender identity does not match their gender assigned at birth or a person who otherwise identifies as transgender.  definition [language: en] An individual who identifies as transgender.  comment [language: en] Note that, because "transgender" is an adjective, "trans person" is preferable to "transperson".  comment [language: en] The adjective "transgender" should never have an extraneous "- ed" attached to it. This is confusing and grammatically unnecessary.  'has exact synonym' [language: en] trans person   'alternate name' [language: en]   trans people   'alternate name' [language: en]   trans persons  'has related synonym' [language: en] transgender individual   'is referenced by'   * <a href="#">'Factors Associated with PrEP Support and Disclosure Among YMSM and Transgender Individuals Assigned Male at Birth in Chicago'</a>   'is referenced by'   * <a href="#">'Mental Health Disparities Within the LGBT Population: A Comparison Between Transgender and Nontransgender Individuals'</a>   'is referenced by'   * <a href="#">'A Systematic Review of the Effects of Hormone Therapy on Psychological Functioning and Quality of Life in Transgender Individuals'</a> </pre>	<pre> preferred-name [language: en] transgender person  schema:alternateName [language: en] transgender people  oboInOwl:hasExactSynonym [language: en] transgender persons  oboInOwl:hasExactSynonym [language: en] transpeople  dcterms:isReferencedBy o <a href="#">heres-a-list-of-58-gender-options-for-facebook-users</a>  MESH_UID D063106  different-from <a href="#">androgynous gender expression</a>  historical-term <a href="#">androgyny</a>  historical-term <a href="#">sexual invert</a> </pre>
---	--

Figure 1. Sample entries from version 2 (left) and version 1 (right)..

terms 3 characters or shorter were not matched. Matching was done in a 2-step process. In the first step, a mapping to a label, alternate name, synonym, exact synonym, broad synonym, narrow synonym, or demonym was considered a definite match and returned. In the second step, a mapping to a shortened name, related synonym, or obsoleted term was considered a probable match. Then, the descendants and instances of that term were searched. If there was a match with any of the descendants or instances, the probable match was deemed a match. Otherwise, it was deemed a nonmatch.

Recall, precision, and F-scores were tested in the random Medline subset and the queried Medline subset using plaintext title mapping, MeSH terms, and GSSO terms. Terms had to be present in all categories and have little to no ambiguity to be considered for matching. Lack of ambiguity was determined as the term having only 1 definition as of February 2020 on the online dictionary Wiktionary. Alternatively, if all definitions pertained to the same idea they were included. Terms fitting these criteria included *lesbian*, *transgender*, *sexual orientation*, *gender identity*, *gender dysphoria*, *homophobia*, *LGBTQ*, *cisgender*, *gender expression*, *transphobia*, *gender nonconforming*, *genderqueer*, *biphobia*, *same-gender loving*, *gender-expansive*, *gender-fluid*, and *sex assigned at birth*. MeSH terms were considered the gold-standard. Precision above 0.265, recall above 0.216, and F-score above 0.198 were considered satisfactory based on other work describing ontology-mapped query systems<sup>28</sup>; likewise, precision values above 0.56, recall values above 0.42, and F-scores above 0.48 were considered excellent.<sup>29</sup>

## RESULTS

Version 2 of the GSSO features 10 060 entries expanded from 6250 and is available at the NCBO BioPortal ([\[ogy.org/ontologies/GSSO\]\(https://bioportal.bioontology.org/ontologies/GSSO\)\) and at GitHub \(<https://github.com/Superraptor/GSSO>\). Each class in version 2 \(7121 entries\) contains a human-readable definition and is placed in a computer-readable hierarchy. The number of external database mappings has been increased from 1416 to 14 193 \(Table 1\). A total of 5273 \(74.0%\) classes had no mapping to any class in any of the over 800 ontologies at the NCBO BioPortal. The average number of annotations per class increased from 2.6 to 7.4. Sample entries for version 1 and 2 are shown in Figure 1. The number of sources increased from 264 to 823, including 325 scholarly articles and 91 books, including \*The Complete Dictionary of Sexology\*, \*The Wiley Blackwell Encyclopedia of Gender and Sexuality Studies\*, and \*LGBTQ America Today: An Encyclopedia\*, each being cited in 371, 159, and 121 entries.<sup>30-32</sup> Online sources of note included the \*glbtq Encyclopedia Project\* and the \*Encyclopedia of Homosexuality\*, which provided 125 and 134 citations, respectively.<sup>33,34</sup> A total of 310 usage notes were created.](https://bioportal.bioontol-</a></p>
</div>
<div data-bbox=)

The GSSO also includes 204 slang terms with definitions and references, 190 pronouns with linked example usages, and 223 terms related to nonbinary and culturally specific gender identities ranging from *hijra* on the Indian subcontinent to *ashtime* in the Maale community of Ethiopia.

With plaintext title searching using HRC terms, we identified 14 019 Medline entries. Tagging a Medline entry with GSSO terms took 7.7 seconds on average (range 1.8-9.9 seconds) when run on a local machine. Tagging was performed for titles, abstracts, and journal titles for each entry.

We tagged 13 998 (99.85%) entries with GSSO terms, compared with the 82.62% covered with MeSH terms. Comparisons between MeSH headings, Medline keywords, and GSSO terms for the HRC terms are shown in Table 2. A total of 7022 MeSH terms (2.5% of

**Table 2.** Term frequencies for most common 32 terms across main terminologies for the HRC subset

Word	HRC count	MeSH count	Keyword count	GSSO count
ally	289	NM	2	304
androgynous	23	NM	2	39
asexual	1288	NM	5	1307
biphobia	3	NM	2	14
bisexual	2477	2021	183	3240
cisgender	39	NM	8	176
closeted	3	NM	1	24
coming out	192	NM	21	307
gay	4426	3257	208	2356
gender dysphoria	277	156	143	394
gender expression	24	NM	10	61
gender identity	725	1644	164	1078
gender nonconforming	11	NM	9	129
gender transition	10	NM	14	48
gender-expansive	0	NM	1	132
gender-fluid	0	NM	1	1
genderqueer	8	NM	8	19
homophobia	276	197	58	470
intersex	598	561	44	622
lesbian	2195	1891	246	3182
LGBTQ	196	NM	58	271
living openly	0	NM	0	0
nonbinary	31	NM	3	12
outing	33	NM	0	0
pansexual	3	NM	1	13
queer	369	NM	49	594
questioning	1219	NM	12	1301
same-gender loving	2	NM	0	2
sex assigned at birth	0	NM	0	21
sexual orientation	1393	NM	358	2044
transgender	2102	2078	529	2431
transphobia	17	NM	10	50

Note that because not all terms matched perfectly, the following mappings were made for the GSSO (androgynous → androgynous gender expression; gender nonconforming → gender nonconforming; gender-expansive → gender variance; sex assigned at birth → sex at birth; gay → gay man; nonbinary → gender nonbinary; gender-fluid → fluctuating gender identity; same-gender loving → same gender loving), for MeSH (bisexual → bisexuality; gay → homosexuality, male; intersex → disorders of sex development; lesbian → homosexuality, female; transgender → transgender persons + transsexualism), and for keywords (androgynous → androgyny). Mappings were made to prioritize MeSH-GSSO comparisons (eg, “gay” to “homosexuality, male” and “gay man”).

GSSO: Gender, Sex, and Sexual Orientation; HRC: Human Rights Campaign; MeSH: Medical Subject Headings; NM = no mapping.

its corpus) were present in our dataset vs 8833 keywords (no defined corpus) and 2911 GSSO terms (28.9% of its corpus).

Of the 17 terms considered nonambiguous, calculating precision, recall, and F-scores was only possible for 5 that were mappable to MeSH: *lesbian* (precision = 0.53, recall = 0.89, F-score = 0.664), *transgender* (precision = 0.58, recall = 0.76, F-score = 0.658), *gender identity* (precision = 0.60, recall = 0.39, F-score = 0.473), *gender dysphoria* (precision = 0.30, recall = 0.76, F-score = 0.430), and *homophobia* (precision = 0.19, recall = 0.46, F-score = 0.269). Using our criteria, 1 of our results was considered excellent (“transgender”) and 3 were considered satisfactory (“lesbian,” “gender identity,” and “gender dysphoria”).

With the randomly selected subset, we uploaded 1 217 621 Medline entries, of which 628 979 (50.66%) were tagged with GSSO terms. A total of 1 058 065 (86.89%) had MeSH terms and 201 096 (16.52%) had keywords. A total of 27 813 MeSH terms (10.0% of its corpus) were present in our dataset vs 306 728 keywords and 2579 GSSO terms (25.6% of its corpus).

The total number of unique GSSO terms utilized in both subsets was 3733 (37.11%), with an intersection of 1757 terms between sets. In comparison, MeSH terms had an intersection of 7006 terms.

## DISCUSSION

The GSSO clarifies thousands of terms related to gender, sex, and sexual orientation not present in any other biomedical ontology. These areas continue to be controversial areas of research,<sup>2</sup> with a constantly evolving terminology. As writer Kyle Taylor Shaughnessy noted in *The Remedy: Queer and Trans Voices on Health and Health Care*: “While the constantly evolving language and concepts of gender and sexual identity... can be overwhelming at times, if we don’t keep up we lose the ability to connect and therefore to do effective work.”<sup>35</sup> The inclusion of source materials with date information and usage notes helps provide context for terminology (including derogatory terms) and makes the GSSO easily updatable.

The lack of gender, sex, and sexual orientation terminology in MeSH is significant, with only 8 of 32 common terms being directly mappable to it. Additionally, there was no mapping for *intersex*, with only the derogatory term “Disorders of Sex Development” being available. Assessing the reliability of what was considered a true positive in our HRC query subset was challenging for this reason. As a next step, we plan to manually curate a dataset and calculate precision and recall values against that grouping as gold standard.






Figure 2. Screenshots from mock-ups for web applications showcasing the GSSO with version 1 (left) and version 2 (right).

Manual curation will help us better understand the mapping process.

The GSSO's tagging system is fast, extensible, and reliable in situations in which terms are unambiguous. Despite its performance, some GSSO term matches were missed or imprecise. For example, *gay* was not matched at all, owing to it being only 3 characters in length; likewise, *asexual* matched most articles relating to asexual reproduction in nonhuman species, instead of asexuality as a sexual orientation. Association rule mining or contextual tagging could help minimize these problems moving forward.

In comparison with MeSH, the GSSO was more specific, matching more Medline entries in the HRC query subset with a larger number of terms. This specificity carried over to the randomly selected subset, in which it matched fewer abstracts but had a much higher overlap of matched terms with the HRC query subset.

Future directions include the release of the GSSO website currently in development (Figure 2) and evaluation and validation with additional datasets. The website will support GSSO tagging within text documents and will include a survey component to help track changes and shifts in terminology usage over time.

The GSSO's extensibility allows it to be used in a number of applications including health surveillance of LGBTQIA+ social media data, which is heavy in slang use; electronic health record integration for identification of LGBTQIA+ patient groups; usage in clinical training programs as a comprehensive resource for inclusiveness; and semiautomated LGBTQIA+ literature review.

## AUTHOR CONTRIBUTIONS

CAK conceived the research idea, designed and completed the ontology, performed ontology analytics, and was the primary author of the manuscript. JWD oversaw the project, contributed several critical revisions, and provided feedback on analytical systems crucial to interpreting results. Both authors agree to be accountable for all aspects of the work in ensuring that questions related to the accuracy or integrity of any part of the work are appropriately investigated and resolved.

## ACKNOWLEDGMENTS

This document adheres to the principles outlined in the Declaration of Helsinki. Special thanks to the following individuals for their assistance in this work: Giao Q. Tran, Piper Ranallo, Charles Macquarie, Parti Brennan, K. J. Rawson, Isaac Fellman, Florence Paré, Amber Billey, Marika Cifor, Walter Walker, Jack van der Wel, and Brian M. Watson.

## CONFLICT OF INTEREST STATEMENT

None declared.

## REFERENCES

1. Wanta JW, Unger CA. Review of the transgender literature: where do we go from here? *Transgend Health* 2017; 2 (1): 119–28.
2. Madsen TE, Bourjeily G, Hasnain M, *et al*. Article commentary: sex- and gender-based medicine: the need for precise terminology. *Gender Genome* 2017; 1 (3): 122–8.
3. Mitchell M, Howarth C, Kotecha M, *et al*. Sexual orientation research review 2008. [https://www.equalityhumanrights.com/sites/default/files/research\\_report\\_34\\_sexual\\_orientation\\_research\\_review.pdf](https://www.equalityhumanrights.com/sites/default/files/research_report_34_sexual_orientation_research_review.pdf) Accessed January 23, 2020.
4. Moleiro C, Pinto N. Sexual orientation and gender identity: review of concepts, controversies and their relation to psychopathology classification systems. *Front Psychol* 2015; 6: 1511. doi:10.3389/fpsyg.2015.01511.
5. Munir K, Sheraz Anjum M. The use of ontologies for effective knowledge modeling and information retrieval. *Appl Comput Inform* 2018; 14 (2): 116–26.
6. Harris DR. Modeling integration and reuse of heterogeneous terminologies in faceted browsing systems. In: 2016 IEEE 17th International Conference on Information Reuse and Integration (IRI). Pittsburgh, PA: IEEE; 2016: 58–66.
7. Ren S, Lu X, Wang T. Application of ontology in medical heterogeneous data integration. In: 2018 IEEE 3rd International Conference on Big Data Analysis (ICBDA). Shanghai, China: IEEE; 2018: 150–5.
8. Clair K, Tg Q, Wd TY. Creating a queer ontology: the gender, sex, and sexual orientation (GSSO) ontology. *Stud Health Technol Inform* 2019; 264: 208–12.
9. Noy NF, Shah NH, Whetzel PL, *et al*. BioPortal: ontologies and integrated data resources at the click of a mouse. *Nucleic Acids Res* 2009; 37: W170–3.

10. Whetzel PL, Noy NF, Shah NH, *et al.* BioPortal: enhanced functionality via new Web services from the National Center for Biomedical Ontology to access and use ontologies in software applications. *Nucleic Acids Res* 2011; 39 (suppl): W541–545.
11. Noy NF, McGuinness DL. Ontology development 101: a guide to creating your first ontology. [https://protege.stanford.edu/publications/ontology\\_development/ontology101.pdf](https://protege.stanford.edu/publications/ontology_development/ontology101.pdf) Accessed April 20, 2020.
12. Bosse JD, Chiodo L. It is complicated: gender and sexual orientation identity in LGBTQ youth. *J Clin Nurs* 2016; 25 (23–24): 3665–75.
13. Beek TF, Cohen-Kettenis PT, Kreukels B. Gender incongruence/gender dysphoria and its classification history. *Int Rev Psychiatry* 2016; 28 (1): 5–12.
14. Song MM, Simonsen CK, Wilson JD, *et al.* Development of a PubMed based search tool for identifying sex and gender specific health literature. *J Womens Health (Larchmt)* 2016; 25 (2): 181–7.
15. Musen MA. The protégé project: a look back and a look forward. *AI Matters* 2015; 1 (4): 4–12.
16. Corcho O, Fernández-López M, Gómez-Pérez A. Methodologies, tools and languages for building ontologies. Where is their meeting point. *Data Knowl Eng* 2003; 46 (1): 41–64.
17. CNN Politics. Democratic hopefuls pressed on gay issues at forum. 2007. <https://www.cnn.com/2007/POLITICS/08/10/gay.forum/> Accessed February 12, 2020.
18. HRC Story. 2020. <https://www.hrc.org/hrc-story> Accessed February 12, 2020.
19. Gates GJ. How many people are lesbian, gay, bisexual, and transgender? 2011. <http://williamsinstitute.law.ucla.edu/wp-content/uploads/Gates-How-Many-People-LGBT-Apr-2011.pdf> Accessed April 22, 2019.
20. Gutierrez-Morfin N. GLAAD officially adds the “Q” to LGBTQ. *NBC News*. 2016. <https://web.archive.org/web/20161030095844/https://www.nbcnews.com/feature/nbc-out/glaad-officially-adds-q-lgbtq-n673196> Accessed October 30, 2016.
21. GLAAD Media Reference Guide-10th Edition. 2016. <https://web.archive.org/web/20180311000209/http://www.glaad.org/sites/default/files/GLAAD-Media-Reference-Guide-Tenth-Edition.pdf> Accessed March 11, 2018.
22. Glossary of Terms. <https://www.hrc.org/resources/glossary-of-terms> Accessed April 8, 2020.
23. PFLAG National Glossary of Terms. <https://web.archive.org/web/20180310211422/https://www.pflag.org/glossary> Accessed March 10, 2018.
24. Billey A, Cifor M, Kronk C, *et al.* Homosaurus. <http://homosaurus.org/> Accessed February 3, 2020.
25. Ganin N. QueerLCSH. 2020. <http://www.netanelganin.com/projects/QueerLCSH/QueerLCSH.html> Accessed February 3, 2020.
26. Johnson HL, Cohen KB, Baumgartner WA, *et al.* Evaluation of lexical methods for detecting relationships between concepts from multiple ontologies. *Pac Symp Biocomput*; 2006; 2006: 28–39.
27. Saitwal H, Qing D, Jones S, *et al.* Cross-terminology mapping challenges: A demonstration using medication terminological systems. *J Biomed Inform* 2012; 45 (4): 613–25.
28. Barros FA, Gonçalves PF, Santos T. Providing context to web searches: the use of ontologies to enhance search engine’s accuracy. *J Braz Comp Soc* 1998; 5 (2). doi: 10.1590/S0104-65001998000300005.
29. Thenmalar S, Geetha TV. Enhanced ontology-based indexing and searching. *ASLIB J Inf Manage* 2014; 66 (6): 678–96.
30. Francoeur RT, ed. *The Complete Dictionary of Sexology*. New York, NY: Continuum; 1995.
31. Wong A, Wickramasinghe M, Hoogland R, *et al.* *The Wiley Blackwell Encyclopedia of Gender and Sexuality Studies*. Singapore: Wiley; 2016.
32. Hawley JC, Nelson ES. LGBTQ America today: an encyclopedia. Westport, CT: Greenwood; 2008.
33. Summers CJ. glbtq Encyclopedia Project. 2015. <http://www.glbtqarchive.com/> Accessed March 15, 2020.
34. Dynes WR. Encyclopedia of Homosexuality. 1990. [http://williamapercy.com/wiki/index.php?title=Encyclopedia\\_of\\_Homosexuality](http://williamapercy.com/wiki/index.php?title=Encyclopedia_of_Homosexuality) Accessed March 15, 2020.
35. Cahill S. LGBT experiences with health care. *Health Aff (Millwood)* 2017; 36 (4): 773–4.